

## WASEDA UNIVERSITY Technology/IP seeds List 2025/03/04

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2024-0206-03	Life sciences	Establishment of new chemical reaction met hods	Assistant Professor			2024/02/06
research	2024-0206-01	Life sciences	Simultaneous detection of multiple antigens using temperature-responsive fluorescent nanoparticles	Professor Faculty of Science and Engineering School of Advanced Science and Engineering			2024/02/06
research	2022-1021-01	Life sciences	Screening and evalu ation system for anti -aging chemicals	Professor Faculty of Human Sciences School of Human Sciences	● Screening system for anti-aging chemicals● Genes related to life extension and use thereof		2022/10/24
research	2022-1020-09	Life sciences	Novel infertility tre atment using cell she et technology	Faculty of Science and Engineering Graduate School of Advanced Science and Engineering	<ul> <li>Infertility treatment that engrafts fertilized eggs in the intimal tissue using cell sheet technology.</li> </ul>		2022/10/24
research	2022-1020-07	Life sciences	Cultured meat product ion with culture medi um made from waste fo od	Faculty of Science and Engineering Graduate School of Advanced Science and Engineering	A major part of the cost of producing cultured meat is the growth factors and serum of the culture medium.  By containing a homogenized extract of waste meat in the basal medium, a large number of muscle cells can be amplified in a growth factor-free and serum-free methods.		2022/10/24
research	2022-1020-05	Life sciences	Sins of anticancer dr ugs	Professor Faculty of Education and Integrated Arts and Sciences School of Education	● Whereas anyone can measure nucleic acids, what we re ally would like to know are the trace amounts of prote ins that function in the body. ● Application of an ult rasensitive ELISA enables us to detect proteins respon sible for malignant transformation.		2022/10/24
research	2022-1020-03	Life sciences	Research on improving mental health proble ms using the iACT sel f-help application "e mol"	Professor Faculty of Human Sciences School of Human Sciences	• Realize an intervention with iACT self-help applic ation.		2022/10/24
research	2022-1020-01	Life sciences	Epithelial cell-cell communication to faci litate or attenuate t he aberrant cell elim ination	Part-time Lecturer (retired) Affiliated organization Waseda Institute for Advanced Study	● Optimal cells eliminate suboptimal cells ● The mechan ism of epithelial cell-cell communication via the interaction between Ligand and Receptor ● AltR-targe ting treatment enhances or suppresses the elimination		2022/10/24
research	2021-0921-07	Life sciences	Wireless monitoring s ystem for human small signal detection	Professor Faculty of Science and Engineering Graduate School of Information, Production, and Systems	● New principle: the parity-time symmetric resonator circuits● Add a negative resistance to the detection circuit only● Wireless monitoring of resistance, indu ctance, and capacitance change		2021/10/08
research	2021-0921-06	Life sciences	Molecule delivering n anotube stamp and sta mping system	Professor Faculty of Science and Engineering Graduate School of Information, Production, and Systems	● Delivering substances with different sizes, shapes, and charges into cells ● We have developed a hybrid nanotube (NT) stamp and its stamping system. ● The proposed technology can be used for basic and applied research (regenerative medicine, drug discovery, etc.).		2021/10/08
research	2021-0921-05	Life sciences	Monitor for stress su bstances	Guest Senior Researcher (retired) Research Council (Research Organization) Institute for Nanoscience & Nanotechnology	● Development of compact, easy-to-handle, fast-respons e silicon transistor sensor (Fig.2) ● Simultaneous dete ction and multifaceted understanding of markers of different origins ● Simple detection from minute amounts of saliva and sweat		2021/10/08
research	2021-0921-04	Life sciences	Modulation of Brain A ctivity by tDCS Effec ts on Human Decision Making	Assistant Professor (retired) Faculty of Human Sciences School of Human Sciences	■ Transcranial direct current electrical stimulation (tDCS) (Figure 1) can increase or decrease neural activity continuously for several hours. ■ The activity of the posterior parietal cortex was changed by tDCS during the task of measuring the frequency of choice for each of left and right hand (Figure 2).		2021/10/08
research	2021-0921-03	Life sciences	Epithelial cell-cell communication to atte nuate the rejection o f suboptimal cells	Part-time Lecturer (retired) Affiliated organization Waseda Institute for Advanced Study	● Optimal cells eliminate suboptimal cells ● The mechan ism of epithelial cell-cell communication via the int eraction between a ligand and a receptor ● MHC-I-target ing treatment suppresses the elimination		2021/10/08

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2021-0921-02	Life sciences	Epithelial cell-cell communication to faci litate the aberrant c ell elimination	Part-time Lecturer (retired) Affiliated organization Waseda Institute for Advanced Study	● Epithelial cells eliminate precancerous cells ● The m echanism of epithelial cell-cell communication via th e interaction between Ligand and Receptor ● AltR-targe ting treatment enhances the elimination		2021/10/08
research	2021-0921-01	Life sciences	Activity change in th e brain associated wi th pain relief	Professor Faculty of Education and Integrated Arts and Sciences School of Education	• The oxyhemoglobin levels of LDLPFC became down, i.e., the activity was suppressed, during pain relief.		2021/10/08
research	2021-0921-09	Life sciences	In vitro NASH model w ith ballooned hepatoc ytes	Faculty of Science and Engineering Graduate School of Advanced Science and Engineering	● When human fibroblasts and human hepatocytes are co- cultured, collected in sheets using UPCELL and cul tured in a high-glycolipid environment, ballooned hepa tocytes are induced.		2021/10/08
research	2021-0921-08	Life sciences	Research and developm ent of functional ing redients to protect t he liver from alcohol consumption	Professor Faculty of Human Sciences School of Human Sciences	● Identify functional materials that reduce alcohol-in duced liver injury. ● Promotes the degradation of acet aldehyde in liver cells. ● Develop a highly concentrat ed hydrogen water generator that reduces the amount of intracellular acetaldehyde.		2021/10/08
research	2020-1012-07	Life sciences	A Method for Chromati c Adaptation Conversi on in Skin Disease Di agnosis	Professor Faculty of Science and Engineering	<ul> <li>■ Renunciation of perfect color reproduction</li> <li>■ Custom setting of reference chromaticity coordinates</li> <li>■ Realiz ation of stable white balance</li> </ul>		2020/10/27
research	2020-1012-06	Life sciences	Development of novel therapeutic strategy that targets pancreat ic $\beta$ cells for diabet es mellitus	Professor Faculty of Science and Engineering	$\bullet$ Increase in numbers of functional pancreatic $\beta$ cells $\bullet$ Creation of pancreatic $\beta$ -like cells by transdiffere ntiation		2020/10/27
research	2020-1012-05	Life sciences	High sensitivity DOI- PET detector	Professor Faculty of Science and Engineering School of Advanced Science and Engineering Department of Applied Physics	<ul> <li>■ Resolution improvement for the PET scaner</li> <li>■ 3D measu rement of incident gamma rays</li> <li>■ Novel optical senso r of the magnetic field resistant</li> </ul>		2020/10/27
research	2020-1012-04	Life sciences	Success in promoting plant growth for biod iesel	Professor Faculty of Education and Integrated Arts and Sciences School of Education	● We Focused on Camelina its oil from seeds used as a raw material for biodiesel. ● Succeeded in enhancement of seed production by heterologously expressing the high-speed Chara-Arabidopsis chimeric myosin XI gene in Camerina		2020/10/27
research	2020-1012-01	Life sciences	Ultrasensitive antige n test for COVID-19	Professor Faculty of Education and Integrated Arts and Sciences School of Education	● We propose a de novo antigen test for diagnosing COV ID-19 using the combination of sandwich ELISA and thio -NAD cycling. Our test takes advantage of the spike (S 1) proteins specific to the SARS-CoV-2 virus.		2020/10/27
research	2019-1021-07	Life sciences	Development of cosmet ic products targeting cell endogenous acti vation	Professor Faculty of Human Sciences School of Human Sciences	■ Degradation of abnormal proteins by enhancing autoph agy. ■ Elimination of damaged mitochondria by mitophagy reduces the source of active oxygen. ■ Intrinsic prote ction from aging or environmental stress by increasing cellular stress response system		2019/10/21
research	2019-1021-08	Life sciences	Method for monitoring the treatment effect of Myeloproliferativ e neoplasms	Professor Faculty of Science and Engineering	● Usage of the fluorescence-dye-labeled probe exhibiting fluorescent intensity as a function of the amount of V617F allele ● JAK2 V617F allele burden can be quant ified equivalent to the results by next-generation sequencing (NGS) ● Available for the monitoring of slight increase/decrease of V617F allele burden		2019/10/21
research	2019-1021-06	Life sciences	Ultra-sensitive and h igh-performance biomo lecule detection meth od	Faculty of Science and Engineering	● Conversion of detection principle from analog method to digital method. ● Development of ultra-sensitive de tection probes capable of single molecule detection. ● Practical application of quantitative technology based on high-speed single molecule digital counting.		2019/10/21
research	2019-1021-03	Life sciences	Probes for theranosti cs that target denatu red collagen	Professor Faculty of Science and Engineering	■ Remarkable improvement of affinity to target by cyclization of CMPs ● Optimization of cyclic CMP (cCMP) design using structure-activity relationship		2019/10/21
research	2019-1021-02	Life sciences	Evaluation and identi fication of calorie r estriction mimetic mo lecules	Professor Faculty of Human Sciences School of Human Sciences	● We developed the screening system for the identifica tion of calorie restriction mimetics. ● This system is unique, rapid and easy to use. ● This system is applic able both <i>in vitro</i> and <i>in vivo</i> .		2019/10/21
research	2019-1021-01	Life sciences	Development of new di agnosis using ultrase nsitive ELISA	Professor Faculty of Education and Integrated Arts and Sciences School of Education	• For this purpose, we have developed a de novo method using a sandwich ELISA combined with thio-NAD cycling .		2019/10/21

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2018-1123-09	Life sciences	Ear thermometer for h eat illness preventio n	Professor Faculty of Human Sciences	● Health risks associated with hot climate during lab or and sports are increasing. ● However, there are n o effective bio-sensing devices to predict or judge su ch personal risk. ● We need to develop an accurate and simple device evaluating deep body temperature for this purpose.		2018/11/30
research	2018-1123-08	Life sciences	A method of isolating reporter cells by a highly sensitive trap vector system	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	● To highly express the fluorescent reporter protein in isolation, GAL4-UAS system was employed.		2018/11/30
research	2018-1123-07	Life sciences	Natural compounds aff ecting cell different iation	Professor Faculty of Science and Engineering	● In vitro neural differentiation model using embryon ic stem cell● Search for active compounds from marine organisms and foods		2018/11/29
research	2018-1123-06	Life sciences	Chemo-enzymatic amide synthesis	Professor Faculty of Science and Engineering School of Advanced Science and Engineering Department of Applied Chemistry	● A novel chemo-enzymatic reaction for the amide synt hesis. ⊠ Enzymatic reaction: activation of the carbo xyl group of the substrate. ⊠ Chemical reaction: nuc leophilic substitution reaction to be various amides.		2018/11/29
research	2018-1123-05	Life sciences	Biological Implant Ma terial with Bone Seek ing	Guest Senior Researcher (retired)	<ul> <li>Control surface morphology of implant in nanoscale.</li> <li>Combination of large and small nanostructures which has different functionalities, respectively.</li> <li>Nanostructure formation process applicable for curved surfaces.</li> </ul>		2018/11/29
research	2018-1123-04	Life sciences	Artificial blood vess el unit for fabricati on of artificial orga n	Professor Faculty of Science and Engineering School of Creative Science and Engineering	● Luminal structure was fabricated by using titanium wire and hydrogel. ● Artificial vascular structures a re created by using vascular endothelial cells adhered titanium wire. ● Artificial vascular structures were perfused with culture medium.		2018/11/29
research	2018-1123-03	Life sciences	Reproduction model de vice for cerebral ane urysm	Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	■ Establishment of a novel ex vivo technique of reproducing cerebral aneurysm. ■ Reproduce diseased state of the arteries from healthy by hemodynamic loading. ■ Reproduce degenerative change of arteries due to aberrant hemodynamics.		2018/11/28
research	2018-1123-02	Life sciences	An innovative technol ogy for plant size en hancement and control :Artificial control o f the cytoplasmic str eaming	Professor Faculty of Education and Integrated Arts and Sciences School of Education	● Cytoplasmic streaming, the common transport system in the plant, was accelerated artificially. ● Myosin X I motor domain was genetically exchanged by that of Ch ara myosin XI, which is the fastest motor protein.		2018/11/28
research	2018-1123-01	Life sciences	Cellulose Nanofibers for Application in Re generative Medicine ~ Fabrication of En gineered Tissues by C ell Culture in Thixot ropic Gel ~	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	<ul> <li>Cellulose nanofiber (CNF) hydrogel is used for cell culture scaffold (Fig. 1).</li> <li>Prepare coaxial two-layer long fibrous gel with microfluidic device (Fig. 2,3)</li> <li>Cells are embedded in the CNF gel of the core layer and 3D cultured to fabricate long muscle and vascular tissues (Fig. 2,4).</li> </ul>		2018/11/28
research	2018-1026-04	Life sciences	Highly Durable Interd igitated Electrode wi th Dense CNT Forests	Junior Researcher (retired) Affiliated organization Waseda Institute for Advanced Study	Highly-sensitive and highly-durable IDE with dense C NT forests directly grown on electrodes at low process temperature (		2018/10/30
research	2018-1026-03	Life sciences	Patterning Growth of Carbon Nanotube Fores ts on Metal Electrode s	Junior Researcher (retired) Affiliated organization Waseda Institute for Advanced Study	● Patterning growth of dense CNT forests on metal elec trodes was demonstrated combining with conventional li thographies (UV lithography or e-beam lithography).		2018/10/30
research	2018-1026-02	Life sciences Nanotechnology / Materials	Nanosheet for detecti ng deformation and mo tion of biological ti ssue (soft materials)	Guest Researcher (retired)	● Polymer nanosheets for the substrate has high flexib ility. ● Dots were marked on nanosheet at regular inter vals. ● Motion or deformation were estimated from posit ion information of dots.		2018/10/30
research	2018-0927-08	Life sciences	Development of a devi ce and algorithm for prevention of exertio nal heat stroke	Professor Faculty of Human Sciences	■ We have developed devices monitoring deep body tempe rature on fields, ■ the algorithm predicting the risk s, using heart rates and body temperature data. ■ Coll ecting the data and personal log will give us more acc urate information.		2018/09/27
research	2018-0927-07	Life sciences	Chemical Health Monit or Kind to Skin	Guest Senior Researcher (retired) Research Council (Research Organization) Institute for Nanoscience & Nanotechnology	● Sticking a tiny sensor module on the skin using a polymer nanosheet. (Fig.2(a)) ● Silicon pH (ion) sensor suitable for a mass production and ultra small reference electrode. (Fig.2(b)) ● The sensors are driven without a battery directly by near-field communication (NFC). (Fig.2(c))		2018/09/27

type of seeds	number	field	title	researcher	Summary	patent number	posted
research	2018-0927-06	Life sciences	Microfiber Scaffold f or Effective Inductio n of an Engineered Ti ssue by Introducing C onductive Polymer in the Core Layer	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	● Microfiber scaffold can align myoblasts to effective ly form myotube (Fig. 1). ● Electric potential, promote s muscle tissue formation; highly conductive polymers (ex. PEDOT/PSS) are useful as the scaffold materials. ● We have developed the microfiber having PEDOT/PSS in the core layer (Fig. 2).		2018/09/27
research	2018-0927-05	Life sciences Nanotechnology / Materials	Development of magnet ic nanoparticles for cancer care	Senior Research Professor (retired)	■ Magnetite nanoparticles with the mean size tuned in the range of 10 to 40 nm ■ High dispersibility of nanop articles (modified with amine) in aqueous solution ■ Us e of cells containing nanoparticles in the treatment a nd diagnosis of cancer		2018/09/27
research	2018-0927-04	Life sciences	Drug screening target ing intracellular acc umulation of abnormal proteins	Professor Faculty of Human Sciences School of Human Sciences	<ul> <li>Elucidation of the molecular mechanisms for the intracellular accumulation of abnormal proteins (Fig. 2).</li> <li>Development of screening technique targeting protein quality control systems.</li> </ul>		2018/09/27
research	2018-0927-03	Life sciences	Directed evolution of proteins by using no vel engineering of ge netic codes	Professor Faculty of Science and Engineering	● Our directed evolution creates a protein which has only one modification site. ● The key for the above evolution is our "simplified genetic codes" which do not encode Lysine. ● Our "moving average genetic code" keeps increasing of a desired property of proteins during directed evolution.		2018/09/27
research	2018-0927-02	Life sciences	An artificial collage n-like material based on triple helix-form ing peptides	Professor Faculty of Science and Engineering	● Polymerization of the collagen-like peptides by cros s-linking via disulfide bonds● Functionalization by in corporating bioactive sequences derived from native co llagen● Process into a transparent membrane by a dryin g/rehydration of the gel		2018/09/27
research	2018-0927-01	Life sciences Nanotechnology / Materials	Technology to Manipul ate Cellular Function s Using a Nano-heater : Cellular Thermodyn amics Engineering	Junior Researcher (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	• We proposed the method that allows quantitative heat ing at the nanoscale in live cells with monitoring the temperature change on the heat spot (Nano Heater).		2018/09/27
research	2016-1024-08	Life sciences	Amyloidß Detection Sy stem using CHRNA7 Fra gments	Senior Researcher (retired) Faculty of Science and Engineering Graduate School of Advanced Science and Engineering	<ul> <li>We narrowed down the binding region of CHRNA7 to AB.</li> <li>The methods to detect AB using the purified GST-CHRN A7 fragments.</li> <li>We already confirmed the binding of AB and the CHRNA7 fragments.</li> </ul>		2016/10/24
research	2016-1024-07	Life sciences	New Therapy of Precoc ious Puberty and Repr oductive Dysfunction by Means of GnIH, a N ovel Neurohormone	Professor (retired) Faculty of Education and Integrated Arts and Sciences School of Education	● Discovery of a novel neuro hormone(GnIH) (Fig.1) ● El ucidation of the molecular mechanism of the GnIH/GNIH action to control the reproductive function — Centra l precocious puberty (CPP) that GnIH/GNIH functional d ecline leads (Fig.2) — Central reproductive dysfunct ion (CRD) that hyperfunction of GnIH/GNIH leads (Fig.3)		2016/10/24
research	2016-1024-06	Life sciences	Collagen-like Peptid e Polymer with Gelati ng Property	Professor Faculty of Science and Engineering	● Disulfide-crosslinked polymer of triple-helical pept ides (Fig. 1) ● The material can be shaped into hydroge ls and films etc. (Fig. 2). ● Cell behaviors can be regulated by introducing signaling sequences (Fig. 3). ● Cell behaviors can be regulated by altering the stiffness of the gel (Fig. 4).		2016/10/24
research	2016-1024-03	Life sciences	Self-driven Perfusion Culture System Using the Paper-based Doub le-layered Scaffold	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	■ The double-layered scaffold consisting of a paper fo r medium perfusion and electrospun gelatin microfibers for cell adhesion is developed (Fig. 1). ■ Self-drive n, stable, and constant perfusion of the medium has be en achieved by using both capillary action and siphon phenomenon of the paper-layer (Fig. 2). The flow r ate is controllable just by changing the height levels .		2016/10/24
research	2016-1024-02	Life sciences	On-Chip Quasi-in vivo Assay Technology for Predictive Drug Disc overy and Diagnostics	賢二 安田 教授 理工学術院 先進理工学部	• We have developed an on-chip quasi-in vivo technolog y consisting of, (1) non-invasive cell sorting, (2) 3- D cell network formation, (3) non-destructive single c ell dynamics measurement.		2016/10/24
research	2016-1024-01	Life sciences	High-speed Tissue Dis section System for Sp atial Omics Analysis of Tissue	Associate Professor Research Council (Research Organization) Institute for Nanoscience & Nanotechnology	◆ The automated system for rapid tissue microdissection		2016/10/24
research	2015-1023-05	Life sciences	Protein crystallizati on using membrane sep aration method	Assistant Professor Faculty of Science and Engineering School of Advanced Science and Engineering	<ul> <li>Protein solution is concentrated by using ultrafilt er · Concentration speed is controlled optionally by p ressure control · Separation and collection of protein s are very easy</li> </ul>		2015/10/23
research	2015-1023-04	Life sciences	Method for determining the heat treatment on meat	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	To determine the heat treatment on meat by evaluation of heat denaturation of protein using Raman spectroscopic analysis.		2015/10/23

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2015-1023-03	Life sciences	Novel antimicrobial peptides	Professor Faculty of Science and Engineering	Novel antimicrobial peptides which form triple-helical structure and contain Arg cluster in the N-terminal r egion and disulfide bonds in the C-terminal region.		2015/10/23
research	2015-1023-01	Life sciences	Analytical systems of homologous recombina tion in the reconstit uted chromatin	Guest Professor (retired) Faculty of Science and Engineering School of Advanced Science and Engineering	We established the in vitro systems to evaluate the RA D51-mediated or DMC1-mediated homologous recombination reaction using reconstituted chromatin substrates.		2015/10/23
research	2015-1022-04	Life sciences	Drug for epigenomic d isruption caused by h yperglycemia	Professor Faculty of Science and Engineering	Does hyperglycemia cause a change of epigenome? A comp ound which prevents hyperglycemia-induced epigenomic a berration, could be a novel drug for diabetes associat ed with various diseases.		2015/10/23
research	2015-1022-03	Life sciences	Neuronal differentiat ion inducer	Professor Faculty of Science and Engineering	· A series of novel ageladine A derivatives,which has a specific activity on the neuronal differentiation		2015/10/23
research	2015-1022-02	Life sciences	High-throughput scree ning system with cult ured cell lines	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	• Cells are cultured in various conditions (growth fa ctor, extracellular matrix, etc.) after retroviral ind uction of target genes, and evaluated by cell growth/m igration/invasion and malignant transformation. • Opt imization for 96-well culture plates enabled high-thro ughput functional assays.		2015/10/23
research	2015-1022-01	Life sciences	Development of Functi onal foods regulating circadian clock syst em	Professor (retired) Faculty of Science and Engineering School of Advanced Science and Engineering	• Screening of food materials on rhythm in cells • S elect from materials based on Amp, Phase, Period • Screening of food material for BF or Dinner on rhythm • C onfirmed by clock gene mRNA in mice & human		2015/10/23
research	2015-0303-02	Life sciences	Evaluation Method for Static Stretching	Professor (retired) Faculty of Science and Engineering School of Creative Science and Engineering	·Quantitative evaluation of muscle tone·Detection of muscle hypotonicity·Simple indentation test		2015/03/03
research	2015-0303-01	Life sciences	Robotic System for Br east Cancer Diagnosis and Treatment	Professor (retired) Faculty of Science and Engineering School of Creative Science and Engineering	<ul> <li>Measuring a location and stiffness of a cancer as palpation. Inserting a needle for treatment accurately into a cancer by compression using palpation probe to stabilize the cancer</li> </ul>		2015/03/03
research	2015-0302-07	Life sciences	Development of Suppo rt System for RFA	Professor (retired) Faculty of Science and Engineering School of Creative Science and Engineering	Research toward precise cancer ablation by using rob ot technology Development of sensing method and estimation method for physical quantity related as ablation during operation		2015/03/02
research	2015-0302-06	Life sciences	Visual Assistance Sy stem for Endoscopic S urgery	Professor (retired) Faculty of Science and Engineering School of Creative Science and Engineering	·Visualization of anatomy in a way it is normally una chievable ·Constructed with combination of traditional endoscopes		2015/03/02
research	2015-0302-05	Life sciences	Robot Control using Muscle Bulge Movement	Professor (retired) Faculty of Science and Engineering School of Creative Science and Engineering	·Nobel robot control method using a new bio signal $\cdot$ E stimate the operation quantity using muscle bulge move ment		2015/03/02
research	2015-0302-04	Life sciences	False Step Prediction System and False Ste p Prevention System	Professor (retired) Faculty of Science and Engineering School of Creative Science and Engineering	·Prediction of false step·Wearable device with comfortable wear feeling		2015/03/02
research	2015-0302-03	Life sciences	Haptic Interface for Navigation of the Vi sually Impaired	Professor (retired) Faculty of Science and Engineering School of Creative Science and Engineering	· A haptic interface for navigation · The generated cen trifugal force using two eccentric weights is transmit ted the user · It is possible to indicate in any direct ion		2015/03/02
research	2015-0302-02	Life sciences	Robot of Gait Trainin g Assisted by Physica l Therapist	Professor (retired) Faculty of Science and Engineering School of Creative Science and Engineering	·Robot of gait training assisted by physical therapis t·Modeling based on assisted movement ·Control robot adapted to individual difference of hemiplegia patien t		2015/03/02

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2015-0302-01	Life sciences	Walk Rehabilitation S upport Robot for Symm etrizing Stance Phase	Professor (retired) Faculty of Science and Engineering School of Creative Science and Engineering	·Walk rehabilitation support robot for symmetrizing s tance phase·Real-time induction of stance phase·Spli t belt treadmill with differential velocity		2015/03/02
research	2011-0427-01	Life sciences	The synthesis of high yield hydroxyasparti c acid and its use in antitumor drugs	Professor Faculty of Science and Engineering School of Advanced Science and Engineering Department of Applied Chemistry	In this research seed we succeeded in synthesizing hyd roxyaspartic acid, with 100% yield, through site-specific addition of hydroxyl groups to aspartic acid in few steps, by making use of the biological reactions of enzymes.		2014/05/21
research	2011-0427-02	Life sciences	The emission of white light through enzyme hydration of 2-napht hoic acid	Professor Faculty of Science and Engineering School of Advanced Science and Engineering Department of Applied Chemistry	Using cytochrome P450 (enzyme) on 2-naphthoic acid to add a hydroxyl group enables the easy, one-step synthe sis of a compound that emits white light. We have also synthesized compounds that emit blue light, and there is the potential to synthesize compounds that emit a v ariety of other colors.		2014/05/21
research	2011-0427-03	Life sciences	A method of freely sy nthesizing hexapeptid es from peptides	Professor Faculty of Science and Engineering School of Advanced Science and Engineering Department of Applied Chemistry	For example, to synthesize amino acids A and B, a meth od of implementing biocatalysts (enzymes) enables the synthesis of specific structures only (e.g., when AA, AB, BA and BB combinations are possible, only AB may be selectively synthesized). The peptide too, gains one site-specific structure.		2014/05/21
research	2011-0517-01	Life sciences	Investigation of pren atal care through non invasive diagnosis an d analysis	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	Using a SQUID (superconducting quantum interference de vice), which is a high sensitivity magnetic sensor, to diagnose and analyze the mother's electrocardiograph can shed light on the level of relaxation or stress in the fetus through correlation between the mother and the fetus. The effects of prenatal care have so far not been scientifically elucidated, but this technology m ay shed light on what kind of care is beneficial.		2014/05/21
research	2011-0517-02	Life sciences	Visualization of the brain's response to s timuli (smell) in a m urine model using non invasive measuring of biomagnetism	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	The SQUID (superconducting quantum interference device ), which is a high sensitivity magnetic sensor, is able to measure subtle magnetic fields (magnetoencephalog raphs) created by nervous activity, and it is not hind ered by the skull. This allows the accurate and individual tracking of nervous activity. For example, comparing the magnetoencephalographs of odorant receptor deficient murine models that do not respond to odorant stimuli (knockout mice), with those of normal mice, allows accurate visualization of cerebral nerve activities in response to chemical odorant stimuli.		2014/05/21
research	2011-0517-03	Life sciences	Comparison of a murin e model with humans u sing noninvasive meas uring of biomagnetism, and its application in heart disease dia gnosis	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	We can provide a method of early heart disease detection that combines life science techniques with SQUID* measurements. For example, we can create a murine model of myocardial infarction (a knockout mouse), and take magnetocardiographs using SQUID from birth until the onset of myocardial infarction, and then until it dies, to ascertain the changes that occur in the magnetocar diographs with the onset of myocardial infarction. Moreover, comparing them with the results of autopsies will allow us to make diagrams to draw correlations between the states of the disease and the magnetocardiographs.* SQUID (superconducting quantum interference device): A high sensitivity magnetic sensor. It is able to measure weak magnetic fields (magnetoencephalographs and magnetocardiographs) generated by neurotransmissions (brain activity) or movement of the myocardium.		2014/05/21
research	2011-0517-04	Life sciences	Comparison of a murin e model with humans u sing noninvasive meas uring of biomagnetism , and its application in brain disease dia gnosis	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	SQUID (superconducting quantum interference device), which is a high sensitivity magnetic sensor, is able to measure weak magnetic fields (magnetoencephalographs) generated by neurotransmissions (brain activity) with out being obstructed by the skull. For example, using SQUID to take measurements of the area around a brain tumor that has been found through MRI, enables a more accurate ascertainment of its position and state. This not only gives the surgeon more information before an operation, but it can also be used to obtain informed consent regarding side effects after surgery.		2014/05/21

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2011-0906-05	Life sciences	Natural marine chemic al compounds as mater ials for drugs As a t ool in chemical epige netics	Professor Faculty of Science and Engineering	Samples of marine organisms: Over 1,500 species, including marine sponges, coelenterates, protochordates, echinoderms, and mollusks. A diverse range of sampling areas: Japan (Ryukyu Islands, coastal Kyushu, Izu Islands, Sado Island, coastal Sanriku, Kuril Islands), Micronesia, Vietnam. Natural marine chemical compounds: A library of new and already known natural marine chemical compounds. We are targeting the library of chemicals extracted from marine invertebrates to carry out screening for antibacterial and antimold chemicals, growth inhibitors that work on various cancer cells, chemicals that inhibit angiogenesis and various enzymes, cytoto xins, bacteria with resistance to multiple drugs, etc. Over 100 varieties of new chemical compounds that clearly stimulate biological activity have so far been identified.		2014/05/21
research	2011-0906-06	Life sciences	New anti-Leishmania a gent	Professor Faculty of Science and Engineering	"Cristaxenicin A," a new chemical compound with anti-L eishmania properties		2014/05/21
research	2011-0909-05	Life sciences Manufacturing Technology	A durability testing device for stents and a method of evaluati on	Professor Faculty of Science and Engineering Graduate School of Advanced Science and Engineering Cooperative Major in Advanced Biomedical Sciences	We developed a testing device that could accurately simulate the stress environment of the area where the stent is inserted. The development of a system that take sinto account the application of stress in the form of a combined twisting and stretching force, and the me chanical properties of the blood vessel model, has enabled the standardized, comprehensive evaluation and tracking of deformation in stents of a variety of design s.		2014/05/21
research	2011-0909-06	Life sciences Manufacturing Technology	Acellularization of heart valves	Professor Faculty of Science and Engineering Graduate School of Advanced Science and Engineering Cooperative Major in Advanced Biomedical Sciences	One of the ways of prolonging the life of tissue valve s is to not treat them chemically, and use acellular t issue from porcine heart valves. A unique method of mi crowave irradiation combined with a simulated in vivo environment (controlled surfactant flow and pressure t hrough pulsation) leaves the tissue undamaged, enablin g the creation of acellular tissue that retains high s trength. We also have technology for cultivating human endothelial cells on the surface of acellular porcine heart valves, enabling transplants with even less chance of rejection.		2014/05/21
research	2011-0915-01	Life sciences	Intracellular molecul ar dynamic analysis	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	Using random scan two-photon excitation microscopy, we can measure the movement of intracellular molecules. In particular, the calcium ions (Ca2+) and phosphoenzy mes, receptors and other proteins involved in the syna pse plasticity of neurons are the target for this anal ysis.		2014/05/21
research	2011-0915-02	Life sciences	Diagnostic method for chronic myeloprolife rative diseases – met hod for quantitativel y analyzing the JAK2 genetic mutation –	Professor Faculty of Science and Engineering	We have a method of quantitatively analyzing the JAK2 genetic mutation. Using a fluorescent probe, it is possible to diagnose cMPD quickly and accurately.		2014/05/21
research	2011-0915-03	Life sciences	New isolation and cul turing method for mic roorganisms	Professor Faculty of Science and Engineering	New high-throughput in situ culturing tools and isolat ion and culturing techniques for useful microorganisms in the environment. It is possible to apply these met hods to environments such as in underground and in wat er and obtain many new bacteria in one go. Because mas s transfer through a hollow-fiber membrane is possible , we can perform isolation and culturing while still in the natural environment. (See figure)		2014/05/21
research	2011-0915-04	Life sciences	New pharmacological e ffects of thalidomide on neurons	Senior Researcher (retired) Faculty of Science and Engineering Graduate School of Advanced Science and Engineering	The enantiomers, derivatives and metabolites of thalid omide are being analyzed to determine the various mech anisms of action in neurons by which they cause differ ences in pharmacological effect.		2014/05/21
research	2011-0930-01	Life sciences	Drug development base d on collagen	Professor Faculty of Science and Engineering	●Supramolecular materials having collagen-like triple- helical structure●Library of collagen-like triple-heli cal peptides (approximately 800 types)●Screening metho ds for collagen biological polymer bonding inhibitor c ompounds: (establishment of 384-well plate, high-throu ghput screening system)		2014/05/21
research	2011-1027-01	Life sciences	Artificial red blood cell production metho d	Guest Senior Researcher (retired) Research Council (Research Organization) Organization for University Research Initiatives	Production method for artificial red blood cells with the hemoglobin that binds to oxygen encapsulated in a lipid membrane. Demonstrated benefits include: (a) No b lood types, (b) viruses and other infection sources ar e removed, (c) stable at room temperature for at least two years, (d) broken down and excreted by the metabo lic system even when given in large amounts, (e) uniformly dispersed in plasma, to supply oxygen to the peripheral tissues where red blood cells cannot reach, (f) is safe and has the same oxygen delivery effects as red blood cells as a resuscitative fluid to treat hemor rhagic shock.		2014/05/21

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2011-1028-01	Life sciences	Elucidating the mecha nisms of intrahepatic metabolism control a nd disease caused by its failure	Professor Faculty of Science and Engineering	We have findings about the central molecule involved in the low-oxygen response mechanism in cells, hypoxia inducible factor (HIF)-1. We discovered that failure in this response in hepatic parenchymal cells leads to the onset and development of alcoholic and non-alcoholic fatty liver. In particular, we clarified that failure of fatty acid metabolism control by HIF-1 is involved in the onset mechanism for alcoholic fatty liver disease. Research is also being extended into the involvement of HIF-2, the HIF isoform.		2014/05/21
research	2011-1031-01	Life sciences Manufacturing Technology	Biofeedback-type perc eption support robot technology for cognit ive-neuro rehabilitat ion	Professor Faculty of Science and Engineering School of Creative Science and Engineering	Accumulation of developmental knowledge and clinical d ata on perception support robot technology (RT) to aid in the rehabilitation of hemiplegic patients. A mecha nism devised for communicating the ground conditions u nder the paralyzed foot to the healthy side by a unit that displays pressure level, attached to the healthy side arm or back. By comparing the ground contact cond itions on the paralyzed side, felt through the healthy side with the mistaken image of the whole body held b y the patient, the patient can realize him or herself, the mismatch in body perception. With this new mechan ism through which the robot draws out independence, br ain plasticity is encouraged, making autonomous and efficient rehabilitation possible.		2014/05/21
research	2012-0319-01	Life sciences	Development of hemipl egic gait simulation tools for educational purposes	Professor Faculty of Science and Engineering School of Creative Science and Engineering	This project is drawing attention to the gaps between movement and sensation experienced by those with hemip legia, such as the feeling of being unable to move eve n though the patient wants to move the body parts, or the feeling that body parts are moving on their own. The project is developing methods to allow those in good health to experience such subjective sensations in a non-invasive and safe way.		2014/05/21
research	2012-0712-07	Life sciences	Field Effect Transist or Sensor	Senior Research Professor (retired)	Transistor-type sensing device fabricated using semico nductor microfabrication technology.		2014/05/21
research	2013-0130-03	Life sciences	Technology for screen ing anti-aging substa nces	Professor Faculty of Human Sciences School of Human Sciences	We have established a system of using cultured cells for screening and transgenic mice to examine and evalua te substances that have the equivalent effect in antiaging as calorie restriction. Pro-longevity transcript ion factor binding sites (DFCR-RE: dwarfism and calorie restriction-response element) are incorporated into upstream regions of the reporter gene (secreted alkaline phosphatase) to indirectly measure the stimulation of transcription factors bound to these sites. We also carry out analyses with a focus on neuropeptide Y in the metabolic pathways of anti-aging effects.		2014/05/21
research	2013-0130-04	Life sciences	Deficient DNA damage response and progeria	Professor Faculty of Human Sciences School of Human Sciences	Through the functional analysis of multiple proteins i nvolved in the copying, repair and recombination of DN A identified as being the genetic cause of progeria, we are carrying out research into the breakdown and accelerated aging of the mechanism that maintains genomic homeostasis through DNA damage stress.		2014/05/21
research	2013-0130-06	Life sciences	Voice synthesizing te chnology based on hum an vocal cords	Professor (retired) Faculty of Sport Sciences School of Sport and Sciences	Analyzing the mechanical and acoustic mechanisms in the generation of voice in communicationAnalyzing the feedback from the sense of hearing and touch to the vocal system, and elucidating the mechanism for generating the quality of voice in emotional or ill people.		2014/05/21
research	2013-0130-07	Life sciences	Preventing external i njuries and rehabilit ation centered on the knee joint	Professor (retired) Faculty of Sport Sciences School of Sport and Sciences	We are elucidating the mechanisms behind external injuries to the knee joint (ligament, hamstring muscle, et c.), and we have knowledge in diagnosis, treatment, re habilitation and prevention.		2014/05/21
research	2013-0130-08	Life sciences	Evaluating sports equipment based on knowledge in sports medicine	Professor (retired) Faculty of Sport Sciences School of Sport and Sciences	Analyzing through observation of the dynamics of bones and joints using cineradiography, and evaluating making use of knowledge in sports medicineSports we target mainly are soccer (junior and women's), judo, basketball, rugby, golf, etc.		2014/05/21
research	2013-0130-09	Life sciences	Elucidating the state of health problems c entered on backaches, and proposing method s of prevention (exer cise treatment)	Professor Faculty of Sport Sciences School of Sport and Sciences	We are elucidating the mechanisms behind injuries in t he back region, including the spine and surrounding ar eas (hip joint, groin region, shoulder girdle), and we have knowledge in diagnosis, treatment and prevention . We target mainly swimmers (swimming, water polo, div ing, synchronized swimming, etc.)		2014/05/21
research	2013-0130-10	Life sciences	Coaching skills based on body image resear ch, and sports promot ion activities based on them	Professor (retired) Faculty of Sport Sciences School of Sport and Sciences	We are measuring and analyzing brain activity during "body imaging" in which people recall movements without actual physical movement, and the gap between what pe ople consider to be the ideal movement and reality. No ninvasive brain imaging and biomechanical measurements are carried out specifically on somersaults and kicking motions, motions that involve cutaneous sensations, and movements using tools.		2014/05/21
research	2013-0130-11	Life sciences	Analyzing sports skil ls	Professor (retired) Faculty of Sport Sciences School of Sport and Sciences	In batting and pitching, a variety of analyzing method s such as the use of full body motion capture and forc e plates to analyze physical performance, bat swings o r ball spin, and precision measuring of hand and finge r movements and visual cognitive motion are used to ev aluate skills with a focus on reproducibility.		2014/05/21

type of seeds	number	field	title	researcher	Summary	patent number	posted
research	2013-0130-12	Life sciences	The scientific basis and the future possib ility for ischemic re sistance training	Professor Faculty of Sport Sciences School of Sport and Sciences	Takarada et al. have previously shown that low-intensi ty resistance exercise combined with vascular occlusio n induces a marked hypertrophy and concomitant increas e in strength, even if the exercise load is much lower than that expected to induce muscular hypertrophy.		2014/05/21
research	2013-0130-13	Life sciences	Sports and sleep	Professor (retired) Faculty of Sport Sciences School of Sport and Sciences	Regarding the effect of physical exercise on sleep at night, we carry out research into the kind of exercise that is appropriate for improving sleep. We carry out research into the potential of exercise in treating de pression, to see if it can improve people's mood.		2014/05/21
research	2013-0130-14	Life sciences	The brain mechanism t hat handles operation al errors and motor l earning	Professor Faculty of Sport Sciences School of Sport and Sciences	The activity of the anterior cingulate cortex is measu red from the error-related negativity. The process of learning though warnings and rewards is analyzed throu gh brain waves, brain imaging, TMS (transcranial magne tic stimulation), eye-trackers, etc.		2014/05/21
research	2013-0130-15	Life sciences	Evaluation of comfort through measurement of brain activity	Professor Faculty of Human Sciences School of Human Sciences	By measuring blood flow in the brain in real time thro ugh optical topography (NIRS), we can provide an objec tive, numerical index of the state of comfort or emoti ons. This will assist in the search for more effective stimulatory conditions and designs.		2014/05/21
research	2013-0130-16	Life sciences	Ways to alleviate moo d disorders through a ttention training	Professor Faculty of Human Sciences School of Human Sciences	Focusing on "rumination = repeated recalling of past e vents and being tormented by them," often seen in depr ession, we are developing a form of neurobehavioral th erapy based on attention training to alleviate ruminat ion. We can provide treatments that suit the symptoms of the patient through use of fMRI and optical topogra phy to ascertain changes in associated brain regions.		2014/05/21
research	2013-0130-17	Life sciences	Interfaces that make use of the characteri stics of cutaneous se nsation	Professor Faculty of Human Sciences School of Human Sciences	Designing an information communicating device for the visually impairedAnalyzing the characteristics of a va riety of tactile sensing such as differences in the surface area, the layer structure and hardness (Young's modulus), slipperiness, etc., and proposing devices that make use of these characteristicsAnalyzing the upper arm extension illusion caused by vibration stimuli.		2014/05/21
research	2013-0130-18	Life sciences	The development of fa cilities and equipmen t based on analyses o f the motor functions of the legs	Professor Faculty of Human Sciences School of Human Sciences	Analyzing the effects of tactile paving and inclined o bstacles on the walking of healthy people, the elderly and injured people (an examination of stress or dange r of tripping while walking). Elucidating the mechanica l properties of the structure of the foot (e.g., the a rch) while walkingEvaluating and proposing ways to pro vide information to the visually impaired with a focus on the properties of floor material.		2014/05/21
patent	617	Life sciences	Neutrophil function i nspection system and method	Professor Faculty of Sport Sciences School of Sport and Sciences	This is a proposal for neutrophil function inspection system using a chemiluminescence method and hydrogel t hat can separate chemotactic cells or organisms. This system can easily take quantitative measurements of ne utrophil functions (chemotactic activity, active oxyge n-producing capacity) with short life span using whole blood. A study is currently being conducted on the me asurement of the anti-oxidizing capacity of neutrophil on pectin and lycopene.		2014/04/03
patent	939	Life sciences	Simulated constricted blood vessel and man ufacturing method the reof	Professor Faculty of Science and Engineering Graduate School of Advanced Science and Engineering Cooperative Major in Advanced Biomedical Sciences	This invention is an artificial blood vessel for model ing stenotic lesions caused by the calcification of bl ood vessels, and the manufacturing method thereof. Elas ticity near to that of an actual human constricted blo od vessel can be obtained by mixing calcium carbonate powder with silicon, painting it on the narrow part of a mold, covering it with a polyethylene resin tube, a nd then coating the entire tube model with silicon.		2014/04/03
patent	1117	Life sciences	Mutational analysis m ethod for JAK2 genes	Professor Faculty of Science and Engineering	This method uses a fluorescent probe as a method of me asuring the JAK2 gene mutations seen in chronic myelop roliferative disorders (MPDs). It enables quantificati on that is highly sensitive, simple, low cost, and high throughput. Applications to pharmaceutical screening methods, etc. are also expected.		2014/04/03
research	2018-1026-01	Information Frontier	Innovation of Data-dr iven Society based on Next-generation Info rmation Processing "Q uantum Annealing"	Guest Researcher Research Council (Research Organization)	● An algorithm of clustering analysis using quantum an nealing has been proposed. ● Algorithms of combinatoria l optimization problems using quantum annealing have b een proposed.		2018/10/30
research	2011-0908-01	Information	LSI design technology for integrated syste ms that realizes ultr alow energy	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	We are implementing a generalized rule that remains consistent throughout higher and lower processes by creating an abstraction model based on new concepts of "strong coupling" and "weak coupling" in regard to the the ree factors of functional modules, memory, and control that make up LSI. We are also able to establish LSI design technology that achieves an "LSI synthesis algorithm that integrates high and low points of low energy" through mutual harmonization of the design process in accordance with the implemented rule, without adhering to traditional hierarchical design processes.		2014/05/21

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2011-0908-02	Information	Elucidating the vulne rability of IC cards and establishing coun termeasures	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	In the scan path design, "scan registers" are incorpor ated randomly into the LSI, so it was originally secre t information that only the designer knew. We demonstra ted that it is possible to decipher the cryptographic processing of LSI in IC cards by making use of the regularity of the outputted data order due to the fact that the relative positions of FFs (flip-flops) used in a scan chain remain unchanged despite them being connected randomly. As a result of this, we have succeeded in deciphering typical encryption standards that were thought to be impossible to crack, including the AES, RSA cryptosystem, and elliptic curve cryptography (ECC).		2014/05/21
research	2011-0913-01	Information	System for the handwr itten input of mathem atical expressions: M athBox	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering Department of Computer Science and Engineering	The symbols in expressions can be recognized using existing character-recognition techniques, but the recognition of expression structures is difficult, which caused a drop in the accuracy of expression recognition. Accordingly, the pattern of the structure is predicted and a space (=MathBox) is displayed in advance for the euser to input the expression, through which the structure is easily recognized and accuracy increased. In addition, we have succeeded in simplifying the correct ion of misrecognitions by providing example symbols that could possibly be input in the specified space.		2014/05/21
research	2011-0913-02	Information	Creation of effective thumbnails based on handwritten notes	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering Department of Computer Science and Engineering	When displaying lists, thumbnails are effective as det ails can be ascertained easily from an overview, but w ith handwritten data, the characters can become too sm all, resulting instead in an increase in time required. Therefore, reduced thumbnails are produced automatica lly using snippets extracted of only the important par ts, by automatic recognition of expressions emphasized by underlining or capturing in a box, which are enlar ged and matched with a diagram. The result allows easy comprehension of the gist of a thumbnail and an incre ase in search efficiency.		2014/05/21
research	2011-0921-02	Information	Method for speeding u p simulations for ass essing many-core perf ormance	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	In many-core processors, parallelized programs are exe cuted successively, and from the loops subject to samp ling, an estimable interation number for the entire ex ecution cycle is specified within the scope of errors expected based on statistical techniques. By carrying out detailed simulations of only this interation numbe r, it is possible to estimate the execution cycle numb er with high precision in a short simulation time.		2014/05/21
research	2011-0921-03	Information	Parallelization of mu ltimedia applications (MPEG2 encoders and decoders) by using th e OSCAR compiler	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	By using parallelization on a macroblock level in the MPEG2 encoding process, and by using parallelization on a slice level as well as macroblock parallelization in slice processing, it is possible to decrease power consumption as well as improve speed.		2014/05/21
research	2011-0922-02	Information	Methods and equipment for detecting and vi sualizing level of at tention in videos	Guest Researcher (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	This invention involves a method for quantitating deta ils on the viewer during playback, such as "what parts does the viewer tend to look at" and their "level of attention" (existing eye movement measuring devices ar e also used), and methods, equipment and systems for v isualizing time-series statistical probability distrib ution information, then consecutively updating and delivering accordingly.		2014/05/21
research	2011-0928-01	Information	Highly efficient deve lopment technology fo r highly reliable sof tware systems	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	In order to prevent trouble from occurring in advance, it is vital to improve reliability. Software developm ent goes through multiple stages from basic design to installation, and reliability is gradually lost along the process. To counter this are efforts to improve the reliability of each stage by referring to previous d evelopment examples, patternizing and extracting them to use in conducting formal inspections.		2014/05/21
research	2013-0130-01	Information	A note-taking support system for enhancing the feeling of parti cipation in lectures by hearing impaired s tudents	Professor (retired) Faculty of Human Sciences School of Human Sciences	● Research phase: Applied developmental research, rese arch into practical application and commercialization. Digital pen technology called Anoto, developed in Swe den, and a presentation system (OpenSTAGE®) developed by Dai Nippon Printing Co., Ltd. have been used in the support technology. Related press release:http://www.w aseda.jp/jp/news11/110804_ant.html		2014/05/21
research	2013-0130-02	Information	Bulletin board for no tifying the location of people (DoorMSNGR) (developed independe ntly)	Professor (retired) Faculty of Human Sciences School of Human Sciences	Research phase: Applied developmental research, rese arch into practical application and commercializationA bulletin board that allows easy, remote operation (during a meeting or while on a domestic or international business trip) through a smartphone to display the location, and the expected time of return.		2014/05/21
research	2013-0130-05	Information	Turning sports movies into a database, and automatic generation , operations analysis and strategy analysi s of secondary movies	Professor (retired) Faculty of Sport Sciences School of Sport and Sciences	Sports movie databases that can be processed on computers (mainly soccer)Developing technology for automatic recognition of tournament movies and the movement of players, the ball, etc., kinematic analyses of hand and leg movements, developing statistical methods of predicting movement, developing skeletal models and skele tal muscle models.		2014/05/21

type of seeds	number	field	title	researcher	summary	patent number	posted
patent	94	Information	Sentence evaluating d evice and sentence ev aluating program	Professor Faculty of Science and Engineering School of Creative Science and Engineering Center for English Language Education	This learning system aims to computerize the evaluation of answer sentences in English compositions in an objective manner, in line with actual situations. It not only assesses the similarity of words used between the model answer and the answer provided in English compositions, but conducts various evaluations through other unique elements.		2014/04/03
patent	139	Information	Measuring apparatus	Professor (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	This invention is an apparatus used to measure the loc ation of features in road areas. It enables the measur ing of the location of features on roads except the wh ite lines and on the sides of roads, using a mobile ma pping system (MMS). In particular, it can measure loca tions to a high degree of accuracy for specular featur es such as glass and narrow—width features such as dis tance markers, which are difficult to measure using conventional MMS.		2014/04/03
patent	314	Information	Search method for sim ilar cases of process state, process state prediction method, a nd storage media	Senior Research Professor (retired) Faculty of Science and Engineering School of Advanced Science and Engineering Department of Electrical Engineering and Bioscience	This invention conducts high-speed searches for the la test operation state of complex, non-linear, and non-statio nary processes (such as blast furnaces) that are currently in operation, as we ll as similar past cases, accurately predicts the future state of processes, and provides online predictive methods that do not require updates.		2014/04/03
patent	445	Information	Stereoscopic image pr esentation apparatus	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering Department of Intermedia Art and Science	This apparatus is able to present accurate and natural stereoscopic images by controlling image presentation in real-time in response to changes in the playback e nvironment, such as the angle of incline to the image presentation screen and the visual distance from the a udience to the presentation screen. Hence, it does not simply provide a one-sided presentation of stereoscop ic images to the audience, but is also able to present optimal stereoscopic images in an interactive manner depending on the movement or operation of the audience		2014/04/03
patent	1009	Information	Item selection method and equipment	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering Department of Intermedia Art and Science	3D images are incorporated in movies, mobile phones, c omputer games, etc. and a lot of content and devices h ave been introduced to the market. This invention is a technology that focuses on the depth of focus of the eyes of the viewers to adjust and replay 3D images, and it enables viewers to enjoy 3D images without any se nse of strangeness or feeling of fatigue.		2014/04/03
patent	1116	Information	Three-dimensional ima ge presentation equip ment	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering Department of Intermedia Art and Science	This is three-dimensional image presentation equipment that can express three-dimensional (3D) images natura lly and in fine detail by combining multiple image pre sentation methods, including lenticular and other thre e-dimensional (3D) image presentation methods, with im age presentation surfaces.		2014/04/03
research	2018-1026-07	Environment Nanotechnology / Materials	Low-cost energy harve ster using thin piezo electric polymer film	Senior Researcher (retired) Research Council (Research Organization) Institute for Nanoscience & Nanotechnology	■ Making thin membrane by spin coating of polymer. Making electrode by ink jet printer. ● Poling process is not needed.		2018/11/15
research	2011-0909-03	Environment	Techniques for separa tion and recovery of CO2 using lithium sil icate	Professor Faculty of Science and Engineering School of Creative Science and Engineering	"Lithium silicate" (Li4Si04), developed by Toshiba, is a solid absorption material that can be used repeated by to absorb CO2 at 600° and release CO2 at over 800°. It has excellent properties, such as higher absorption speed in the presence of water vapor, the ability to separate and recover pure CO2 by thermal swing operation at around 200°, and absorption capacity as high as 30% of its own weight.		2014/05/21
research	2011-0909-04	Environment	Increase in thermal e nergy quality through chemical regeneratio n	Professor Faculty of Science and Engineering School of Creative Science and Engineering	While thermal energy can be obtained easily and in lar ge volume, it is irreversible, making it difficult to maintain a high-exergy-rate state. To address this, we can use chemical regeneration. Exergy-lowering proces ses like vapor reformation and partial oxidation chemically draw out thermal energy at medium-to-low tempera ture, under which the exergy rate decreases, and through this, the possibility of restoring the high rate is created.		2014/05/21

type of seeds	number	field	title	researcher	Summary	patent number	posted
research	2011-0909-01	Environment Nanotechnology / Materials	Organic light-emittin g transistors	Guest Professor (retired) Faculty of Science and Engineering School of Advanced Science and Engineering	Construction of transistors rather than diodes, howeve r, allowed large currents to flow and light-emitting p henomena to be obtained. By adjusting the oscillatory conditions, organic lasers become an attainable goal.		2014/05/21
research	2011-0909-02	Environment Nanotechnology / Materials	Manufacture of flexib le transistors using inkjet methods	Guest Professor (retired) Faculty of Science and Engineering School of Advanced Science and Engineering	It is possible to fabricate organic transistors onto p lastic substrates by the inkjet method, by using a sol ution in which single walled carbon nano-tubes are dis solved in an organic solvent as the ink.		2014/05/21
research	2011-0914-01	Environment	Ultra lightweight veh icle (ULV)	Professor Faculty of Science and Engineering	We have developed an ultra lightweight vehicle (ULV) b ased on the "more than a bicycle less than a vehicle" concept. By obtaining a registration number in the min i-vehicle category, this vehicle can be legally driven on public streets. At present, development of EVs is being furthered based on social demands, and the Multi-PM (Prime Mover) design concept has been introduced, assuming the use of compressed air, gasoline and hydrogen as energy sources. Another attractive characterist ic is its appeal as a "regional revitalizing" business model in collaboration with local small-to-medium ent erprises.		2014/05/21
research	2011-0914-02	Environment	Co-benefit based supp ort system and progra m for environmentally conscious behavior	Professor Faculty of Science and Engineering	Differing from the traditional types of HEMS and BEMS, based on automated control of lighting and air condit ioning, these are a support system and program for environmentally conscious behavior focused on the lifesty les and work-styles of the individual (resident, worke r, etc.). We possess algorithms that allow the effective "visualization" of obtained measurement data, and information provision according to individual attribute s (age, gender, etc.) and ease of implementation. It is also possible to incorporate these into existing products and link them with smart meters and more.		2014/05/21
research	2011-0914-03	Environment	Production and network for use of bio-oil from unused woody bio mass	Professor Faculty of Science and Engineering	We possess knowledge of multi-energy supply which comb ines production techniques for bio-oil from woody biom ass based on rapid pyrolysis, with gasification and bi o-oilification (having reached the stage of practical use thanks to joint research with plant manufacturers). Other knowledge we have concerns distribution and st orage of bio-oil according to its properties, and its combustibility. Furthermore, efforts to construct a ne twork for its use, including the ideal for a system for provision of raw materials in cooperation with the forest industry are being implemented through a system of collaboration between industry, academia and the go vernment.		2014/05/21
research	2011-0920-01	Environment	Accelerating environm ental cleanup process es	Professor Faculty of Science and Engineering School of Creative Science and Engineering	Through detailed solid analysis techniques, including XAFS, and geochemical simulations involving surface complex models and reaction kinetics, it is possible to construct optimal processing processes and set conditions, according to the respective contamination conditions. In proposing an optimal process, we add preprocessing by special pulverization and separation techniques, improve the operation procedures, and reduce amounts of pharmaceuticals and sludge via metal recovery.		2014/05/21
research	2011-0920-02	Environment	Optimization of pulve rization and physical separation technolog y by powder simulatio n	Professor Faculty of Science and Engineering School of Creative Science and Engineering	It is possible to use a certain type of powder simulat ion, the Discrete Element Method (DEM) to ascertain in detail, the positions and speeds of each particle in the apparatus, and collision energies between particle s and between particles and the walls.		2014/05/21
research	2011-0920-03	Environment	Constructing a proces s for recycling valua ble resources from wa ste	Professor Faculty of Science and Engineering School of Creative Science and Engineering	A low-environmental-load type valuables recycling proc ess can be proposed, in which, after various types of pulverization are conducted as preprocessing, a number of separation methods are combined, based on specific weight, electrical and magnetic properties, wettabili ty, shape, color, X-ray properties, and physical/physi ochemical properties according to target.		2014/05/21

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2012-0217-01	Environment	Socio-scientific rese arch into administrat ive processes of envi ronmental policies	Professor (retired) Faculty of Science and Engineering Graduate School of Environment and Energy Engineering	Policies, statutes, environmental science and technolo gy, public opinion, reports in mass media and interest s are being examined in a unified manner, and the meth ods below used to conduct empirical analyses. Results have been obtained in research on themes relating to the administrative process for Japanese global warming policies since the adoption of the Kyoto Protocol, and resource circulation policies. Information can be provided and on-site investigations conducted into domest ic policies in Japan. 1. Doubts are to be discerned with respect to environmental policies and efforts. 2. The social and economic frameworks enveloping the research issues are to be ascertained. (Sites are to be accessed and basic information collected. The structure of problems are to be checked. To this end, the statutes, basic scientific and technological features are to be learned and the governmental, administrative, social and economic situations are to be objectively analyzed and considered.)3. Research is to be framed and trimm ed. (The focus of the research is to be narrowed down. The direction of access and framing of the research s cope are to be set.)4. Research methods are to be obta ined and their methodology set. (Information gathering methods, analysis methods (topic processing, etc.) are to be set and mastered.)		2014/05/21
research	2012-0301-01	Environment	Design process manage ment technology for s ustainable buildings	Professor Faculty of Science and Engineering School of Creative Science and Engineering	Analyzing the building design process using a DSM (Design Structure Matrix) and suggesting an optimized design allows the improvement of the current design process. Furthermore, it enables organization of the matters to be considered when introducing a new technology in to a building, and the elimination of inefficient design processes such as send backs.		2014/05/21
research	2012-0312-01	Environment	Development of enviro nmental impact evalua tion methods by the c omprehensive ELP (Env ironmental Load Point ) index	Professor (retired) Faculty of Science and Engineering Graduate School of Environment and Energy Engineering	ELP (Environmental Load Point) is an integrated index in LCA (Life Cycle Assessment), which was developed in these research seeds. The nine problems, "energy drain", "global warming", "ozone depletion", "acid precipit ate", "resource consumption", "air pollution", "ocean & water pollution", "waste disposal problems" and "eco system effect" have been categorized into environmenta l impact areas and categories have been prioritized ba sed on questionnaire surveys conducted by the panel. U sing the category priorities as coefficients, an integ rated index was developed to enable the assessment of environmental loads in different sectors using standar dized units.		2014/05/21
research	2012-0312-03	Environment	Evaluating the amount of carbon storage in natural and artifici al forests	Professor (retired) Faculty of Human Sciences School of Human Sciences	Results have already been obtained in estimating the c arbon storage capacity of domestic forests in Japan an d tropical rain forests abroad, and a methodology has been established for simple estimation of the biomass of plantations in tropical regions. Use of this knowle dge enables estimation of the carbon storage capacity of forests.		2014/05/21
research	2012-0313-01	Environment	Environmental impact and policy evaluation centering on Asian c ountries	Professor Faculty of International Research and Education Graduate School of Asia Pacific Studies	There is a need to grasp each situation from every ang le and develop solutions that will allow for the creat ion of sustainable societies in developing countries while safeguarding the environment. This project will propose methods from among those solutions that utilize the special characteristics of each region. One examp le of this can be seen in a past example of river wate r pollution measures in Indonesia. By conducting resea rch related to problem points of decentralized environ mental management systems and on the ideal for effective environmental policies, it was possible to work on the construction of relations between social actors, conduct discussion toward the creation of action plans for the improvement of environmental management systems, and make proposals toward action. A method was used to incorporate the various opinions of the community by organizing discussion into the following two formats. The method allowed for the selection of the appropriate discussion body for each topic and management of discussion. Round Table (RT) - A variety of opinions we re incorporated through this organizational format, which brought together provincial governments, municipal governments, chambers of commerce, regional universities, environmental NGOs, and other groups with the objective of conducting participatory research engaging social actors - governments, corporations, and citizens - and building social environmental management capabilities. Steering Committee (SC) - this committee comprises the central government, chambers of commerce, the University of Indonesia, and other stakeholders, brought together to discuss the ideal for national systems and policies meant to support local initiatives.		2014/05/21
research	2012-0315-01	Environment	Evaluation of the glo bal warming reduction functionality of for ests	Professor (retired) Faculty of Human Sciences School of Human Sciences	This project will evaluate the global warming reduction functionality of forests within developing countries. The project will investigate the cause of deforestation and forest degradation and the impact of global warming, and implement measures aimed at realizing a low-carbon society.		2014/05/21

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2012-0321-01	Environment	Micro heat pipes to t urn nano fluid into h ydraulic fluid	Professor (retired) Faculty of Science and Engineering School of Creative Science and Engineering	This project will improve heat conductivity by using a hydraulic fluid containing silver nano-particles in a micro heat pipe.		2014/05/21
research	2012-0614-01	Environment	Environmentally-consc ious product and wast e product business ma nagement	Professor Faculty of Commerce Graduate School of Commerce	This project proposes methodology to scientifically de velop market analysis and product management methods f or environmentally-conscious products, as well as the creation of new waste product processing businesses.		2014/05/21
research	2012-0619-01	Environment	A latent heat storage system	Professor (retired) Faculty of Science and Engineering School of Advanced Science and Engineering	This project is for the creation of a latent heat stor age system using thermal energy (heat in particular) s et in motion along with transfers between liquid and s olid states.		2014/05/21
research	2012-0619-02	Environment	System for the elimin ation and collection of substances in wast ewater	Professor (retired) Faculty of Science and Engineering School of Advanced Science and Engineering	This project uses crystallization phenomena for a syst em that disposes of and collects the targeted substanc es in a discriminating and safe way while making consi derations for the characteristics of waste water, in t hat it has a low concentration of many materials.		2014/05/21
research	2012-0619-03	Environment	Technology for evalua tion, exploration, an d collection at final disposal of waste si tes for urban mines	Professor (retired) Faculty of Science and Engineering School of Creative Science and Engineering	This technology elucidates the types and quantity of m etals buried within final disposal of waste sites, as well as the presence of minerals, and specifies which metals would be beneficial to collect. The technology makes it possible to use electric detection to measure zones where metals are distributed.		2014/05/21
research	2012-0619-04	Environment	Energy-saving and low -cost purification ma terial development us ing high-quality regi onal soil	Professor (retired) Faculty of Science and Engineering School of Creative Science and Engineering	Usage of volcanic soil as environmental purification materials.		2014/05/21
research	2012-0625-01	Environment	Self-filling concrete using sea water and sea sand	Professor (retired) Faculty of Science and Engineering School of Creative Science and Engineering	This project developed self-filling concrete using sea water as mixing water, sand as aggregate, and a new a dmixture that can provide these materials with superio r fluidity and appropriate viscosity (A high-performan ce AE water reducing agent with a one-pack type thicke ner containing salt).		2014/05/21
research	2012-0627-01	Environment	Proposal for an innov ative problem solving method for the creat ion of product value	Faculty of Science and Engineering Graduate School of Creative Science and Engineering	This project proposes a method for valuable new product development plans and new business plans (through the theory of inventive problem solving [TRIZ]). This project proposes a new product development methodology that aims for radical innovation for the improvement of added-value in line with changes in society predicted for the next 5 to 10 years rather than aiming for continuous quality improvements for existing products (kaizen activities).		2014/05/21
research	2012-0629-01	Environment	Development of new co ast defense structure s resistant to tsunam is and high tide	Professor (retired) Faculty of Science and Engineering School of Creative Science and Engineering	In line with the rebuilding of coastline defense struc tures across the country as each location reaches its scheduled upgrade period, there is a need to shift the structural format used for coastal defense. This project proposes a new structural format that considers knowledge gained from the elucidation of damage mechanisms and the impact on the coastal environment.		2014/05/21
research	2012-1001-01	Environment	Realizing Thermal Com fort by Spot Air Cond itioning and Personal Air Conditioning Sys tems	Professor Faculty of Science and Engineering School of Creative Science and Engineering	The purpose of our research is to evaluate the comfort level and intellectual productivity provided by perso nal air conditioning systems, which allow for individu al adjustments of the air current. Specifically, we ca rried out an actual measurement study at offices that installed and are actually operating this air conditioning system, by setting different airflow conditions (adjustable and not adjustable). The results found that employees' satisfaction with the thermal environment was significantly higher and their comfort level incre ased when the airflow of personal air conditioning systems was adjustable. The study showed that spot air conditioning systems, which allow for individual adjustments of the air current, have potential for improving the comfort level of employees.		2014/05/21

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2012-1001-03	Environment	Creation of Energy Pr ojections and Environ mental Measures Scena rio	Professor Faculty of Science and Engineering School of Creative Science and Engineering	A fact-finding survey was conducted of several office buildings that adopted summer energy-saving measures. The purpose of the survey was to explore sustainable e nergy-saving methods that would deliver high energy re duction effects without compromising productivity and comfort. [Research Outcomes] The survey found that the p ercentage of dissatisfied employees was smaller and that intellectual productivity could be better maintained when the lighting is decreased rather than when the temperature is raised, and that this measure significantly decreased electricity consumption. When implementing power-saving measures, it is believed that the electricity consumption amount can be decreased effectively without compromising the comfort level and productivity of employees by giving priority to saving electricity through lighting, installing desk lamps, and selecting appropriate power-saving approaches tailored to the attributes of employees who occupy the floor.		2014/05/21
research	2012-1001-04	Environment	Scenario of Achieving Both Office Producti vity and Economic Eff iciency, and Energy C onservation	Professor Faculty of Science and Engineering School of Creative Science and Engineering	This study conducted an indoor environment study, employee behavior study, and questionnaire survey. Their objective was to observe the mutual relationship between intellectual activities and environmental factors that are demanded in workplaces of actual offices, and to gauge the effects of workplace environments of actual offices on employees. Furthermore, the study analyzed the mutual relationship between intellectual activities, employee behaviors, and workplace environments, and examined the environmental factors demanded of work spaces from the perspectives of intellectual productivity and energy conservation. [Research Outcomes](1) Important employee behaviors were different for each intellectual activity. Respondents declared that knowledge creation requires diverse employee actions, such as divergent thinking, informal communication, and relaxing. (2) At the buildings which were studied, employees carried out active communication not only at meeting spaces, but also in the vicinity of their desks. (3) Results hinted the possibility that employees' level of satisfaction with the environment was affected by the physical environment as well as employees' expectations of the environment based on how long they will stay there and what they are doing. (4) The results found that the following environmental factors affected employees' level of satisfaction with the environment at the buildings examined in this study. Thermal environment: "warm/cold sensation"; "hotness of the building upon arriving at the office"; and "shutdown of air conditioning during overtime hours". Lighting environment: "natural daylight"; "brightness of task lighting"; and "brightness from window". Air quality environment: "noise"; and "quietness". Sound environment: "noise"; and "quietness". Air environment: "diversity of space"; "accessibility"; and "size of space".		2014/05/21
research	2012-1001-05	Environment	Assessment of Comfort and Intellectual Pro ductivity in ZEB Ener gy-Saving Buildings	Professor Faculty of Science and Engineering School of Creative Science and Engineering	Research is conducted on office buildings that are ren ovated to make them net-Zero Energy Buildings (ZEBs). Specifically, the effectiveness of the ZEB renovation work is examined by studying the changes pre- and post -renovation in the physical environment and employee s atisfaction level.		2014/05/21
research	2012-1001-07	Environment	Research on the Therm al Environment of Com fortable Train Statio n Spaces	Professor Faculty of Science and Engineering School of Creative Science and Engineering	A measurement survey conducted in 2004-2006 took environmental measurements at four non-air-conditioned train stations in Tokyo and implemented a questionnaire survey to roughly 4,000 people. The results showed that the maximum acceptable temperature declared by more than 20% of the respondents in the summer was the standard effective temperature (SET*) of 32\( \text{NC}\), and that the temperature exceeded this threshold limit in many time ranges. This threshold limit is higher than the maxim um acceptable indoor temperature. The main factors attributed to hot train stations are weak air current and the considerable effects of the sun's rays, and proposals are being studied to address these factors. In the FY2011 study, a measurement survey was conducted at train stations at which a large commercial facility and an air conditioning system were installed inside the ticket gate. The results demonstrated that although the maximum acceptable temperature and comfort level in the summer were the same as non-air conditioned train stations, the lower limit of the comfort range was higher for train stations installed with air conditioning systems. The inflow of outdoor air could inhibit the rmal environment control inside a train station. There fore, detailed analyses are being carried out of the factors, and countermeasure proposals are being reviewe d.		2014/05/21

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2012-1001-08	Environment	Research on Semi-Vola tile Organic Compound s (SVOCs) in Indoor S paces	Professor Faculty of Science and Engineering School of Creative Science and Engineering	Our laboratory is developing a new nozzle to collect house dust, and carries out analyses of the concentrations of SVOCs in house dust. Measurements are taken not only at general residential homes, but also in various spaces, such as homes made of natural materials and kindergartens, in order to measure indoor SVOC contamination levels. Furthermore, the speed of SVOC emissions from indoor finishing materials is measured to study how much impact the speed of SVOC emissions from building materials has on the concentration of SVOC in house dust. A variety of such studies are being implement ed for developing measures to deal with indoor SVOC contamination.		2014/05/21
research	2012-1029-02	Environment	Research into inorgan ic separation membran es	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	Compared to traditional processes that make use of p hase changes such as cryogenic separation, the separation process through a zeolite membrane enables energy savings. As shown in Fig. 1, zeolite has a separation function that makes use of differences in molecular size and adsorptive power. We were the first in the world to develop an inorganic membrane that achieved separation at a molecular level, and we have continued our research in this area. We developed a practical method of forming a thin zeolite membrane on a porous support. We also developed a unique characterization method of evaluating the structure of their inorganic porous membranes and separation performance, a part of which we are trying to turn into products.		2014/05/21
research	2012-1029-03	Environment	Development of cleani ng agents for water a nd soil using inorgan ic materials	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	We have highly economical insolubilization technology for treating polluted soil, and water treatment technology for dealing with all toxic metals.		2014/05/21
patent	692	Environment Life sciences	Lipolytic microorgani sm and method for tre ating wastewater cont aining oil and fat us ing the same	Guest Professor (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	This invention relates to a novel microorganism that c an efficiently break down fats and oils from animals a nd vegetables that are contained in wastewater from ki tchens and other sources, as well as the enzymes that are generated by this microorganism. It is a method of treating wastewater that contains fats and oils. In a ddition to being highly effective in breaking down wide variety of animal and vegetable fats and oils, it al so has superb ability in breaking down fats and oils p articularly in lard and environments with low temperat ures. As such, it is an effective technology for resta urants that use much lard and in restaurants located in cold locations.		2014/04/03
research	2024-0206-04	Nanotechnology / Materials	Analytical equipment specialized for Micro devices	Assistant Professor			2024/02/06
research	2024-0206-02	Nanotechnology / Materials	The New Interface Mea suring Device using N ew Plasmon Sensor an d Raman Scattering Sp ectroscopy	Professor Faculty of Science and Engineering School of Advanced Science and Engineering Department of Applied Chemistry			2024/02/06
research	2022-0203-09	Nanotechnology / Materials	Ultra-low-loss Tapere d Optical Fibers(TOFs ) and Ultra-high-Q Mi crotoroidal Resonator s	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	● Succeeded in developing a nanofiber optic with a tra nsmittance of 99.7% or more using our unique technolog y● Developed a "nano-fiber optic resonator" that combi nes a nano-fiber and a fiber Bragg grating (FBG). By combining this with a single atom that is laser-cooled and trapped, the world's first all-fiber cavity QED system is realized. ● Developing extreme generation, meas urement, and manipulation technologies for quantum states of light using nano-fiber optic resonator ● Aiming to realize scalable optical quantum computation by connecting cavity QED systems to each other with low loss via propagation mode and constructing a quantum network in which a large number of cavity QED systems are connected at a macroscopic distance.		2022/02/03
research	2022-0203-08	Nanotechnology / Materials	Quantum computers wit h Cavity QED with nan ofiber optic resonato r	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	● Proposing a distributed quantum computer using the original technology "nano-fiber optic resonator QED "● The unique resonator treats photons and atoms of light as qubits. Each unit incorporated in this optical fiber becomes a quantum computer, and can be connected in the same way as a general optical fiber.		2022/02/03

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2022-0203-07	Nanotechnology / Materials	Method for simultaneo usly observing atomic and electronic struc tures by a high-resol ution display-type ph otoelectron analyzer with Spherical micro- hole grid	Guest Senior Researcher (retired)	■ In 2013, Prof. Matsushita of NAIST invented the prin ciple of a new type of electron analyzer (retarding field analyzer: RFA) and the special spherical micro-hole grid (3D Micromesh electrodes) using electron orbit simulation. By combining RFA (element electric field type analyzer) with a special grid, it has become possible to observe the 3D atomic structure of dopants by using PEH (photoelectron holography). In addition, it a lso enables to observe the electronic structure by ARP ES (angle-resolved photoelectron spectroscopy). ● Prof. Mizuno of Waseda University, who has accumulated knowhow of micro processing technology for many years, and IMUZAK Co., Ltd. have realized spherical micro-hole grid (3D Micro mesh electrodes). ● This RFA has been in stalled at SPring-8 Beamline BL25SU since April 2021.		2022/02/03
research	2022-0203-05	Nanotechnology / Materials	Hybrid Bonding at Low Temperature and Atmo spheric Pressure	Guest Senior Researcher (retired)	● Hybrid bonding of Cu, PDMS, and quartz at 150 °C and atmospheric pressure		2022/02/03
research	2022-0203-04	Nanotechnology / Materials	Ag aerogel film; Bind ing interface easily & stably	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	● A unique aerogel film made of Ag particles. ● Contain s no additive, easily sinters into bulk, and builds ex cellent electrical, thermal, and mechanical interfaces with high heat resistance. ●Can be manufactured quickl y at high yield with small Ag amount (~10 mg/cm2, mate rial cost of ~1 JPY/cm2)		2022/02/03
research	2022-0203-03	Nanotechnology / Materials	Flame synthesis of si ngle-wall carbon nano tubes	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	●Premixed flame for rapid heating of gas and decompositionof catalyst precursors. ●Rapid mixing with carbon source for nucleation of catalystparticles and CNTs at high density. → Continuous synthesis of 1 nm-diameter single-wall CNTs.		2022/02/03
research	2022-0203-02	Nanotechnology / Materials	Reforming of hydrocar bon to carbon nanotub es and hydrogen	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	● Produce CNTs at high yield from hydrocarbon by original fluidized-bed technology. Convert C and H in CnH2m to CNTs and H2.		2022/02/03
research	2022-0203-01	Nanotechnology / Materials	Application of Microd roplets to Chemical R eactions	Assistant Professor	<ul> <li>Design of micro-devices to stabilize droplet generat ion, surface treatment of channels, and flow conditions</li> <li>Encapsulation of chemicals for chemical reaction fie ld control</li> </ul>		2022/02/03
research	2020-1124-03	Nanotechnology / Materials	Operation of 3-D MEMS micro mirror by sing le superposed driving signal	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	● By single driving apparatus, MEMS micro mirror is ac tuated in three resonant modes● MEMS micro mirror is operated in 3-D by single superposed signal with the three resonant frequencies		2020/12/17
research	2020-1124-01	Nanotechnology / Materials	New Synthesis Method for Boron Nitride Nan otubes (BNNTs)	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	New synthesis method of BNNTs by boric acid vapor		2020/12/17
research	2020-1124-02	Nanotechnology / Materials	Development of Test M ethod for Evaluating Pure Mode Interlamina r Fracture Toughness of Dissimilar Materia ls	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	● Application of Double Cantilever Beam (DCB) test● Cancel the effects of mixing modes when joining dissimil ar materials and thermal residual stress● Accurate mode I interlaminar fracture toughness evaluation		2020/12/17
patent	2015	Nanotechnology / Materials	Biological Implant Ma terial with Bone Seek ing	Guest Senior Researcher (retired)	● Control surface morphology of implant in nanoscale. ● Combination of large and small nanostructures which has different functionalities, respectively. ● Nanostructure formation process applicable for curved surfaces.	特開2019-202 097	2020/02/10
research	2020-0131-10	Nanotechnology / Materials	Seeing mental stress from invisible substa nces	Guest Senior Researcher (retired) Research Council (Research Organization) Institute for Nanoscience & Nanotechnology	● Detects many medically important stress substance si gnals of different origin ● Quick deduction of stress substances from multiple sensor signals on one chip● S tress management feedback considering circadian cycle and individual characteristics		2020/02/06
research	2020-0131-09	Nanotechnology / Materials	Battery Diagnosis by Square-Current Electr ochemical Impedance S pectroscopy	Researcher (retired)	Power controller in Battery Management System (BMS) can be formed only simple current veform, such as a square waveform. Applying square current input generated by power controller can measure impedance.		2020/02/06
research	2020-0131-08	Nanotechnology / Materials	Very Facile Productio n of Hydrogen Peroxid e from Water under Su nlight	Senior Research Professor (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	■ We found that polythiophenes act as a rare, combined light-harvester and highly selective catalyst for the oxygen reduction to H2O2. Its combination with a co nventional oxygen evolution catalyst in water (pH 12) achieved extremely high H2O2 production rate (>140 mg (H2O2) g-1 h-1).		2020/02/06

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2020-0131-06	Nanotechnology / Materials	Walking and running r	Guest Senior Researcher (retired)	● Crystal actuators that move by light and heat● Light and tough mechanical crystals● Practical application to soft robots		2020/02/06
research	2020-0131-04	Nanotechnology / Materials	Record high carbon na notube forests	Junior Researcher (retired) Affiliated organization Waseda Institute for Advanced Study	lacklacklacklacklacklacklacklack		2020/02/06
research	2020-0131-03	Nanotechnology / Materials	Development of new el ectric wireless seawa ter communication	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	● Electric communication utilizing conductivity of sea water● Transmitter: metal electrode ⇔ Receiver: transistor shape sensor operating in solutions● App ly square wave voltage to metal electrode  ☑ Pulse wave is transmitted to the receiver		2020/02/06
research	2020-0131-01	Nanotechnology / Materials	Skin-adhesive battery -less device communic ating by hand touch	Professor Faculty of Science and Engineering School of Creative Science and Engineering	● Flexible electric devices mounted on polymer nanoshe ets ● Battery-less communication by electric NFC ● We arable devices without discomfort due to glue contact		2020/02/06
research	2020-0131-07	Nanotechnology / Materials	Dissimilar Materials Bonding with 3D Nano Interface	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	● Fabrication of nano structure on aluminum surfaces ● Improvement of bonding strength by silane-coupling tre atment ● Direct bonding of CFRTP and Al by hotpress ● Ev aluation of shear strength and fracture toughness		2020/02/06
research	2020-0131-05	Nanotechnology / Materials	A Novel Method for Ga s-phase Removal of Ca talyst Metals from Ca rbon Nanotubes	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	● Propose and develop simple dry purification method of CNTs● Applicable to a conventional apparatus● CNT No damaged● Over 90% of catalyst metal was removed● Very Effective for CNT manufactured by arc method, CVD method, floating method		2020/02/06
research	2020-0131-02	Nanotechnology / Materials	CNT-PSS Transparent C onductive Film: Simpl e, Flexible, Highly C onductive, Stable	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	■ Simple fabrication via dispersing CNT in aqueous solution of PSS (Poly(p-styrene-sulfonic acid)) and coating ■ Conductive (115 $\Omega/\text{sq}$ ) and transparent (90%) Stable in air for >1000 h or at >250 $\square$ C without passivation		2020/02/06
research	2019-0312-07	Nanotechnology / Materials	Fabrication of carbon nanotube yarn with h igh strength, conduct ivity and lightness	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	● Untwisted CNT yarns were fabricated from CNT array (Fig. 1)● Impurities and defect structures were removed by graphitization treatment● CNT yarns were combined with polymer or metal to enhance load transfer capabil ity or conductivity between CNTs		2019/04/22
research	2019-0312-06	Nanotechnology / Materials	Display Device for Vi sual Texture	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	● We proposed spatial mixing using glossy and matte su rfaces for reconstruction of visual texture. ● Our meth od can display various visual texture by changing the area ratio of glossy and matte surfaces.		2019/04/22
research	2019-0312-05	Nanotechnology / Materials	High Energy Density L IB Full Cells with Or iginal CNT Sponge-Bas ed S Cathode and Si A node	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	● Original CNT Sponge-Based Battery - holds highly cap acitive active materials (S cathode and Si anode) with in light-weight, conductive, flexible CNT matrix, allo ws reversible volume change (S expands and Si shrinks during discharge) while conserves the total cell volum e  over design with practical production process will realize "Soft Batteries" with innovative capacity at low cost		2019/04/22
research	2019-0312-04	Nanotechnology / Materials	Heat-Resistant Separa tor Made of Boron Nit ride Nanotubes and In tegrated Cathode/Sepa rator/Anode for Light -Weight Batteries	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	● Boron nitride nanotube (BNNT) separator (>>500 ⊠C).  Binder-less, high porosity, high ion diffusivity. ●  NEW integrated structure of cathode/separator/anode.  Thin-layer stack offering ion diffusivity & mechanic al stability. ● Light-weight LIBs based on CNT current collector instead of metal foils. →Enhanced safety, powder density, and energy density.		2019/04/22
research	2019-0312-03	Nanotechnology / Materials	Anisotropic Conductiv e Film of Ag-Cellulos e Nanofiber Aerogel	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	● Structure is only nanofibers (e.g. cellulose), conductive particles, and Air ● High conductivity due to the presence of particles NOT covered with resin ● Air insulation between adjacent electrodes		2019/04/22
research	2019-0312-02	Nanotechnology / Materials	Flexible antenna coil for biological tissu es	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	♠ An inkjet-printed line was annealed at 250°C for real izing low resistive (2.9×10-5 $Ω \cdot cm$ ) on a glass substrates. ♠ A low resistive printed line was transferred on to the low heat durable materials (Tg: 56°C) thanks to the cleavage of the multi-stacked graphene flakes.		2019/04/22

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2019-0312-01	Nanotechnology / Materials	High Temperature Resi stant Die Bonding For med by Al/Ni Nano-par ticles Composite Past e	Professor (retired) Faculty of Science and Engineering Graduate School of Information, Production, and Systems	● Verification of void reduction effect by Al micropar ticle mixing ● Verification of stress relaxation effect of junction structure formed by Ni nano-/Al micro-particles composite paste● Evaluation of high heat resistance using SiC-SBD		2019/03/12
research	2018-1026-05	Nanotechnology / Materials Manufacturing Technology	Fabrication of nano-o ptical patterns by el ectron beam irradiati on	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	● Nano-scale optical pattern was fabricated by electro n beam irradiation ● Polymer was used for inducin g unique optical properties● Luminescence properties w ere controlled by tuning the condition		2018/11/15
research	2017-0223-05	Nanotechnology / Materials	Ultra-Thin Film Lumin escence Sensor	Guest Researcher (retired)	■ Luminescence sensor made from free-standing polymer nanosheets with the thickness of tens to hundreds of n anometers. ■ Versatile fabrication by selecting sensor dyes (e.g., temperature, oxygen concentration). ■ Ratiom etric sensing of biological information.		2017/02/23
research	2017-0223-04	Nanotechnology / Materials	Operation of 3-D MEMS Micro Mirror by Sing Le Superposed Driving Signal	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	● By single driving apparatus, MEMS micro mirror is ac tuated in three resonant modes ● MEMS micro mirror is operated in 3-D by single superposed signal with the three resonant frequencies		2017/02/23
research	2016-1024-05	Nanotechnology / Materials	Development of Biosen sing Technology for F ood Safety	Junior Researcher (retired) Research Council (Research Organization) Institute for Nanoscience & Nanotechnology	● Semiconductor-based biosensors can detect a small am ount of target molecules in foods. ● We have developed a biosensing technology to determine the presence of a naphylactogenic food allergens.		2016/10/24
research	2016-1024-04	Nanotechnology / Materials	Monitoring Chemical B alance in Epidermal B arriers	Guest Senior Researcher (retired) Research Council (Research Organization) Institute for Nanoscience & Nanotechnology	● Detection of multiple chemicals in epidermal barrier s from a smartphone ● Challenging to monitor stress ho rmones and small ions for healthcare. ● Accurate measu rement method of skin pH within 10 sec		2016/10/24
research	2016-0204-01	Nanotechnology / Materials	Fabrication of carbon nanotube yarn with h igh functionality	太成 金 理工学術院	● CNT yarn was drawn from vertically aligned CNT array ● CNT composite yarn was developed by electrolytic pla ting● Controlling of plating by changing plating condi tion● Superior electrical conductivity (2.14×107 S/m)		2016/02/04
research	2016-0203-09	Nanotechnology / Materials	Microfluidic white or ganic light-emitting diode	直史 小林 理工学術院 基幹理工学研究科 電子物理システム学 専攻	● Greenish-blue and yellow LOSs were applied as liquid emitters● Integrated 60-⊠m microchannels were fabrica ted● Greenish-blue and yellow liquid emitters were alt ernately injected into the fine microchannels (Fig. 3) ■ White light was generated with simultaneous greenish-blue and yellow emissions (Fig. 4 (a), (b))		2016/02/03
research	2016-0203-08	Nanotechnology / Materials	Boron-doped nanocrys talline diamond as a p-type transparent el ectrode	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	● Production method of the p-type conduction of high B oron-doped NCD with high transmittance and excellent e lectrical characteristic ● Achieving two layers which H igh Boron-doped NCD was grown on top of undoped transp arent NCD with quartz substrate		2016/02/03
research	2016-0203-07	Nanotechnology / Materials	Vertically oriented g raphite layers on dia mond substrate	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	● Implant ions to diamond (100) surface at high temper ature ● Interstitial carbon atoms defuse to the diamon d surface during the thermal treatment (1700oC, 2h) af ter implantation● High density vertically oriented gra		2016/02/03
research	2016-0203-06	Nanotechnology / Materials	MOSFET on polycrystal line diamond	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	■ We developed high breakdown voltage MOSFET with poly crystalline black diamond ■ The device exhibits perfec t modulation and good device characteristic pinch off and saturation region ■ High voltage breakdown of 1824 V by black polycrystalline diamond		2016/02/03
research	2016-0203-05	Nanotechnology / Materials	The new interface mea suring device using n ew plasmon sensor and raman scattering spe ctroscopy	Professor Faculty of Science and Engineering School of Advanced Science and Engineering Department of Applied Chemistry	● Molecular configuration at buried interface, i.e. so lid / liquid, Chemical structure change of the atomic level, are simply measured in nanometer scale.		2016/02/03
research	2016-0203-04	Nanotechnology / Materials	Scanning Near-field Optical Microscope(SN OM)	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	● Spectroscopic evaluations with a nanometer spatial r esolution are possible ● Extended from single channel measurements to multiplex measurements ● Wide spectral range with highly accurate measurements are achievable ● Applicable to opaque samples as well as transparent ones		2016/02/03

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2016-0203-03	Nanotechnology / Materials	Generation of high po wer and broadband THz wave	Researcher (retired) Affiliated organization Waseda Institute for Advanced Study	● Intense broad band THz wave generation by electron b eam● Efficient THz generation by electron pulse tiltin g● Suitable for THz spectroscopy● Intense THz wave as much as THz camera detection		2016/02/03
research	2016-0203-02	Nanotechnology / Materials	Electronic devices co mposed of polymer nan osheets	Guest Researcher (retired)	● Flexible electronic devices mounted on free-standing polymer nanosheets ● Fabrication of conductive lines by inkjet printing of silver nanoparticles at room tem perature● Soldering-free packaging of electronic elements (e.g., LED) based on van der Waals interactions		2016/02/03
research	2016-0203-01	Nanotechnology / Materials	Light-driven Bending Crystals	秀子 小島 ナノライフ創新研究 機構	<ul> <li>Crystals for light-driven actuator</li> <li>Photomechanic al crystals replaced to shape-memory alloy</li> <li>Crystal ma chinery replaced to MEMS</li> </ul>		2016/02/03
research	2015-0424-01	Nanotechnology / Materials	Light-emitting Electr ochemical Cells(LEC)	Researcher (retired) Faculty of Science and Engineering Graduate School of Advanced Science and Engineering	Hybrid device of electrochemistry and electronics     Specially designed ionic liquids for LEC application     Simple solution process for low cost manufacturing		2015/04/24
research	2015-0303-09	Nanotechnology / Materials Energy	Power Generation Micr o Device using Fe-Co Metal Alloy	Senior Researcher (retired) Research Council (Research Organization) Institute for Nanoscience & Nanotechnology	New Fe-Co based magnetostrictive material (Develope r; Hirosaki Univ, Tohoku Univ, Tohoku Steel Co., Ltd.) Vibrational power generating device with high elect rical efficiency		2015/03/03
research	2015-0303-07	Nanotechnology / Materials	Ultra-low-loss Tapere d Optical Fibers(TOFs ) and Ultra-high-Q Mi crotoroidal Resonator s	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	·The highest transmission measured for TOFs with a n optimal shape is in excess of 99.7% with a total TOF length of only 23mm·Microtoroidal resonators to build on-chip cavity QED systems with very high quality factors		2015/03/03
research	2015-0303-06	Nanotechnology / Materials	Self-healing Metal Wi re for Stretchable De vices	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	·High conductivity, and high stretchability for elect ric wire·Selective healing of a crack on a wire by "s elf-healing" function		2015/03/03
research	2015-0303-05	Nanotechnology / Materials	Micro/Nano Device	Professor (retired) Faculty of Science and Engineering School of Fundamental Science and Engineering Department of Electronic and Photonic Systems	·Specialized micro/nano fabrication technologies ·Devices for chemical/bio-chemical analysis ·synthesis and single-cell (a virus, a DNA, an organelle) analysis		2015/03/03
research	2015-0303-04	Nanotechnology / Materials	Electroforming Techni que using Self-assemb led Monolayer(SAM) fo r Modified Nanopatter ns	Professor Faculty of Science and Engineering School of Advanced Science and Engineering Department of Applied Chemistry	·Electroless NiP nanoimprinting mold replicated from Self-assembled Monolayer (SAM) modified Nanopatterns ·Elaborately manufactured in nano size and complicate d form		2015/03/03
research	2015-0303-03	Nanotechnology / Materials	New Wide Bandgap Semi conductor β-Ga203 Single Crystal	Advisor to the Dean of Academic Affairs (retired)	·The proposal and actual proof of $\beta$ -Ga203 single crystal as a new wide bandgap semiconductor ·Advantageous growth nature of $\beta$ -Ga203 single crystals from melt under atmospheric pressure. ·Wide controllability of conductivity (Large band gap energy (4.8 $\sim$ 4.9V)		2015/03/03
research	2011-0906-01	Nanotechnology / Materials	Observing substances under a near-field op tical microscope	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	Using a near-field optical microscope allows observati on of the shape, as well as the color of substances in an estimated area of 10 to 100 microns squared.		2014/05/21
research	2011-0906-02	Nanotechnology / Materials Energy	The controlling of li ght energy with preci ous metal nanoparticl es (plasmonic substan ces)	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	Using a near-field optical microscope allows the obser vation and visualization of the plasmon of plasmonic s ubstances. Plasmonic substances demonstrate a variety of behavior through their interaction with light, the progress of which can be tracked in high time and spat ial resolution.		2014/05/21
research	2011-0906-03	Nanotechnology / Materials Energy	Organic-air rechargea ble batteries	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	We developed an organic rechargeable battery that uses air for the cathode. It can be recharged in a short t ime (a few seconds). It's capacity also remained almos t unchanged through 500 charge-discharge cycles. An organic polymer material was used to replace the anthraqu inone in the anode, to realize high energy concentrati on (221 mAh/g) through the multi-electron redox reaction.		2014/05/21

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2011-0916-01	Nanotechnology / Materials	Large-scale molecular simulation	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering Department of Electronic and Photonic Systems	By using "dynamic bond-type large-scale molecular dyna mic methods" we are able to perform large-scale molecu lar simulations that even include chemical reactions.		2014/05/21
research	2011-0922-03	Nanotechnology / Materials	Development of electr ode materials and ele ctrolytes for seconda ry batteries	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	Manufacture of secondary batteries using Li2S, formed using S as a byproduct of the petroleum refining proce ss as the positive electrodes material.		2014/05/21
research	2012-0307-01	Nanotechnology / Materials	Organic "soft" second ary batteries	Senior Research Professor (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	Development of macromolecules (redox polymers) that ha ve the ability to rapidly and reversibly accept and do nate electrons, and can be handled stably even in air at room temperature.		2014/05/21
research	2012-0712-04	Nanotechnology / Materials	All Wet ULSI manufact uring process	Senior Research Professor (retired)	This project proposes the creation of a barrier layer structure on top of a silicon substrate, low-k substrate, and polyimide substrate and then cooper wiring aft er that. The project aims to confirm that it is possib le to shrink barrier film made with electroless plating to a thickness of 6 nm. Success has been made in embedding copper in a fine trench and constructing a protective layer using electroless and electro-plating.		2014/05/21
research	2012-0712-05	Nanotechnology / Materials	Hard-gold film techno logy for the realizat ion of low-resistance and high mechanical strength	Senior Research Professor (retired)	This technology introduces carbon to hard AuNi film, m aking the structure of the film amorphous, and produci ng AuNiC film with greatly heightened abrasion resista nce without lowering its electric resistance. A techno logy concerning the manufacturing of AuNiC film.		2014/05/21
research	2012-0712-06	Nanotechnology / Materials	Manufacturing of nano particle array subst rates	Senior Research Professor (retired)	This project proposes the creation of nano particle ar ray technology in order to realize bit pattern media (BPM) in which chemosynthesis is used to assign one rec orded bit per single electro-particle with particle si zes of a few nanometers. The diagram is a scanning ele ctron microscope (SEM) image showing a substrate with a physical guide attached to it, to which chemically modified organic particles have been joined, with FePt nanoparticles lined up on top of that. The registered array grouping of particles is foamed on the surface of meniscus which arises when the dispersed solution in the particles is dried, so it is possible that regula rly arranged particles are moving in different directions. As such, it is possible to create a large domain of arrayed particles fixed on the substrate, ranging from a size of 10 to several 100 nanometers. However, disorder can be induced within such a range. Extremely small differences in particle diameters make the movem ent power between particles unequal, which catalyzes disorder in each array. The physical guide serves the role of preventing such disorder and making the domain more robust.		2014/05/21
research	2012-0928-01	Nanotechnology / Materials	Uncovering Electric P roperties for the Dev elopment of Practical Applications of Poly mer Nanocomposites	Senior Research Professor Faculty of Science and Engineering School of Advanced Science and Engineering	Our laboratory is conducting the following research ai med at developing practical applications of polymer na nocomposites. Controlling insulating and dielectric p roperties of epoxy resin nanocomposites by inorganic fillers Development and fabrication of highly insulating and highly thermally conductive materials suitable for miniaturized power semiconductor module Creation of magnetic and dielectric materials tailored to high frequencies		2014/05/21
research	2012-0928-03	Nanotechnology / Materials	Development of New Wa veguide-mode Sensors	Senior Research Professor Faculty of Science and Engineering School of Advanced Science and Engineering	Our laboratory is developing new waveguide-mode sensor s, believing that various substances can be detected a nd substance constants can be measured using waveguide -mode sensors that have sensitivity, portability, and maneuverability. It is expected that sensors that have never existed will be developed by combining electroc hemical-type methods and optical methods of waveguide mode sensors.1. Realization of an all-in-one automatic solution management device that can automatically man age additives, in addition to the basic composition of plating solutions.2. Realization of a sensor that can easily detect solutions with heavy metal content at levels of the environmental limit.		2014/05/21
research	2012-0928-04	Nanotechnology / Materials	Creation of Highly Fu nctional Light Transm ission Materials by I on Irradiation	Senior Research Professor Faculty of Science and Engineering School of Advanced Science and Engineering	Our laboratory creates highly functional light transmi ssion materials by ion irradiation. We succeeded in in creasing the functionality of polymer optical waveguid es, based on our observation that the refractive index increases by irradiating ions into fluorinated polyim ide, a polymer material.		2014/05/21

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2012-1019-01	Nanotechnology / Materials	Fabrication of Nanopa rticle Phosphor Film and Solar Cell Applic ations	Professor Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	Our laboratory made nanoparticle phosphors of several nm using the ball mill method. Transparent thin film w ith over 90% transmittance in all wavelength regions w as fabricated using nanoparticle phosphors. Red phosphor r transparent thin film that meets the following conditions is fabricated on the solar cell.(1) Short-wavelength light is converted to long-wavelength light(2) Long-wavelength light is transmitted as is (→using nanoparticles) The following two types of materials are used as red phosphors. Sulfide phosphor Ba2ZnS3: Mn (BZS)·Nitride phosphor CaAlsiN3: Eu (CASN)Research has long been conducted on sulfide phosphors. Our laborat ory can turn sulfide phosphors into nano sizes of several nm by the ball mill method, and used them to fabricate transparent thin film with dispersing quality and high transmittance. Nitride phosphors have superior luminous efficacy and durability compared with oxides and sulfide phosphors. Accordingly, our laboratory is studying the conditions for turning nitride phosphors into nano sizes, and was able to obtain particles of several tens of nm that conduct wavelength conversion. We found that a transparent thin film was fabricated on the photodiode and that wavelength conversion was achieved in a short-wavelength light region.		2014/05/21
research	2017-0223-02	Energy	Development of Scalab le Micro Thermoelectr ic Devices	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering Department of Electronic and Photonic Systems	<ul> <li>Si nanowire is used as the thermoelectric material.</li> <li>Miniaturized TE device fabricated by the Si-LSI process capable of mass-production</li> </ul>		2017/02/23
research	2017-0223-01	Energy	Research on High-effi ciency Thin-film Sola r Cell using Quantum Effect	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	There exists a bandgap energy suitable for a single-junction solar cell.  ■ A superlattice structure (Fig. 2) produces a stable exciton (Fig. 3) using its quant um effect. ■ A stable exciton absorbs solar light efficiently.		2017/02/23
research	2011-0920-04	Energy	Energy-saving and env ironmental techniques that use vapor compr ession heat pumps	Professor Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	We have been conducting research and development into revolutionary energy-saving vapor compression and cond ensation (VCC) technologies that compress vapor produc ed in the evaporation process, and continually recover condensation latent heat to reuse in evaporation; the theoretical design is complete and prototype experime nts have been performed. Furthermore, we are researching how to improve efficiency of small-scale vapor compressors that are the key to making this technology commercially viable.		2014/05/21
research	2011-0922-01	Energy	Development of energy control techniques f or the realization of a smart grid	Professor Faculty of Science and Engineering School of Advanced Science and Engineering Department of Electrical Engineering and Bioscience	Advanced methodologies will be developed through computer simulations and next-generation smart grid simulations, in order to enable total design of a suitable next-generation electrical energy supply configuration by which both of the above can be achieved continuously.		2014/05/21
research	2012-0220-01	Energy	Technology that uses numerical calculation to elucidate the int ernal transport mecha nism inside lithium i on batteries	Professor Faculty of Science and Engineering School of Creative Science and Engineering	Using a lithium ion battery for HEV (hybrid electric vehicle), designed using a general-purpose numerical calculation software program BDS (Battery Design Studio), simulations of "constant current experiments on actual equipment" can be implemented. From the charge/discharge curve, a basic property obtained by simulation, the battery's performance is efficiently and simply expressed, and they can be introduced into HEV simulators.		2014/05/21

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2012-0312-02	Energy	Design and operation of smart communities / Eco-towns that are resistant to natural disasters	Professor (retired) Faculty of Science and Engineering Graduate School of Environment and Energy Engineering	Essential to the construction of local energy supply s ystems for using renewable energy, which is readily af fected by the weather, is the technology ensuring a st able supply of power. In our laboratory, we are able t o design, construct and evaluate local energy supply s ystems that provide stable power. By ensuring independ ent power, it is also possible to build a power struct ure that is resistant to disaster. The tools below can also support this effort as technological seeds; each of them can be applied to full-scale target systems.  1. Large-scale combinatorial problem optimization algo rithms, 2. Flow analysis algorithms for large-scale distribution networks, including loops and PV nodes, 3. Algorithms for deciding the optimal installation locat ion of solar panels in order to obtain the maximum power for the given site. 4. Multipurpose optimization algorithms for deciding on generated power in full-scale power systems. 5. Extended fast algorithms for large-scale dynamic planning methods for power source development in developing countries. 6. Charge and discharge control simulation support tools that take into account the running patterns of electric vehicles. 7. Optimal combination and capacity-deciding algorithms for smart grid power sources and batteries. 8. Construction and operation analysis algorithms for smart communities, for accommodating heat and electricity. 9. Pitch an gle and battery control simulation support tools for e asing the fluctuation in wind power output. 10. Energy system optimization algorithms for the construction of local-production-for local-consumption-based eco-cit ies led by the region.		2014/05/21
research	2012-0313-02	Energy	Heat extraction rate maximized by the use of nanofluid in heat exchangers	Professor (retired) Faculty of Science and Engineering Graduate School of Advanced Science and Engineering	Mixing TiO2 nanoparticles into the media (water) inside a heat exchanger and conducting several hours of preliminary steam generator operation, causes the nanofluid to adsorb onto the inside of the heat transfer tube and a nanostructure to be formed. So doing increases the heat extraction rate.		2014/05/21
research	2012-0313-03	Energy	Design, production, a nd performance evalua tion of environment- conscious electric ve hicles	Professor Faculty of Science and Engineering Graduate School of Environment and Energy Engineering	This research laboratory has been developing electric buses and different types of electric vehicles up to t his point. Research has progressed to the level of commercial use for electric buses in particular. Based on such findings, it is possible to conduct evaluations on the design, production, and performance of a variet y of electric vehicles.		2014/05/21
research	2012-0712-01	Energy	Long-life negative si licon anode synthesis for next-generation lithium-ion batteries	Senior Research Professor (retired)	This technology has successfully produced composite products merging silicon and organo-mineral complex substances at the micro-level through the simultaneous reductive decomposition of organic solvents and reduction of silicon. The resulting silicon electrodes are composed of amorphous silicon made of oxygen and carbon that has been diffused at the nano-scale. Even after 7,000 cycles, this technology shows extremely superior output figures of approximately 800 mAh/g.		2014/05/21
research	2012-0712-02	Energy	Evaluating lithium-io n battery (LIB) cell degradation using an impedance measurement	Senior Research Professor (retired)	This technology aims to establish a "usable" battery e valuation method for currently marketed LIBs using imp edance analysis. While thinking about the structural a spects of the battery leading to such issues as electr olyte resistance, interface reactions between the batt eries north and south poles, surface films, and ion di ffusion within film and solid states, the project cons iders the minimum possible factors for degradation, in stalls an analogous circuit usable for the analysis of a wide range of frequency bands, and analyzes LIB cap acity degradation based on the resulting impedance rea ctions. In addition, by carrying out impedance analysis under low temperature conditions, it is thought possible to conduct a correct analysis by using processes not admissible within a normal temperature range.		2014/05/21
research	2012-0712-03	Energy	Production technology development for the creation of a next-ge neration laminated li thium-ion battery	Senior Research Professor (retired)	This technology makes it possible to supply 50 to 1,00 0 mAh next-generation laminated lithium-ion batteries. The laminated cells are constructed under laboratory conditions within a dry-air environment (supplied air - dew point at		2014/05/21
research	2012-0807-01	Energy Environment	Innovative Energy-Sav ing Technology Based on Heat Pumps	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	This technology is characterized by two principles. First, heat moves from hot things to cold things. Second Ly, if gas is spewed out all at once from a high-press ure area to a low-pressure area, then the gas is cooled rapidly. This technology is expected to have significant energy conservation potential depending on the operating conditions. Furthermore, with the development of smart systems, it will become important that optima lenergy systems are operated with heat pumps forming the crux of the systems.		2014/05/21

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2012-0903-01	Energy	Experiment Using High Quality Beams	Professor (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	The Washio Laboratory conducts research on PEMFC. It is also working on the development of materials which can be used as an electrolyte membrane for a Polymer Electrolyte Fuel Cell (PEFC) that is capable of having a compact and light weight design.		2014/05/21
research	2012-0903-02	Energy	Uncovering the Initia L Process of Radiatio n Chemical Reactions: Pulse Radiolysis Exp eriment	Professor (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	The Washio Laboratory is developing the world's smalle st pulse radiolysis system using a compact photocathod e RF electron gun. At present, the laboratory has near ly completed the development of a nanosecond resolution system and picosecond resolution system. The nanose cond system is capable of directly measuring time beha vior using an oscilloscope. Thus, many samples may be measured in a short timeframe, and combined with the p icosecond system, the phenomenon can be followed in a broad time region.		2014/05/21
research	2012-0903-03	Energy	Maskless Direct Etchi ng Technique Using Fo cused Ion Beams (FIB)	Professor (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	This research attempts to carry out maskless direct et ching using focused ion beams (FIB) in order to study the nanoscale microfabrication of cross-linked PTFE. A n image of the fabricated microscopic structure FE-SEM is shown in a diagram.		2014/05/21
research	2012-0903-04	Energy	Development of Invers e Compton Scattering Soft X-ray Sources Us ing Photocathode RF G un	Professor (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	■Development of Inverse Compton Scattering Soft X-ray Sources Using Photocathode RF GunIn this research, compact and high quality soft X-ray sources are being developed using inverse Compton scattering, with the final goal of applying them to soft X-ray microscopes for biological observations. Inverse Compton scattering in volves the creation of shorter wavelength light through the collision of high energy electrons and long wavelength light, and is the inverse process of the generally well-known Compton scattering. The Washio Laboratory is working on the development of high quality electron beam sources using a photocathode RF gun, as well as researching their applications. This research is one of the experiments for these applications. So far, the laboratory has succeeded in the preparation and detection of soft X-rays using inverse Compton scattering.		2014/05/21
research	2012-1029-01	Energy	Synthesis of Ordered Porous Materials and Catalytic Chemical Ap plications	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	Research on micro- and mesoporous materialsA precurso r gel is once dried, and this is then crystallized in the vapor phase. The use of the DGC method allows the preparation of zeolites with structures and compositio ns not obtainable by the hydrothermal synthesis method. The Laboratory conducts research on the crystallizat ion mechanism of zeolite by the DGC method. Using the DGC or hydrothermal synthesis method, the Laboratory s earches for microporous crystals with new structures, assesses catalyst characteristics, ascertains the crystallization process, and develops a method for inserting heteroelements into the crystal skeleton.		2014/05/21
patent	1123	Energy	An output restriction avoidance method for multiple-unit-connec ted photovoltaic power generation systems and the equipment necessary for the method	Professor Faculty of Science and Engineering School of Advanced Science and Engineering Department of Electrical Engineering and Bioscience	Photovoltaic power generation systems are able to correct inequalities in the volume of output restrictions between consumers (private homes) simply by adding functions to the existing equipment in multiple-unit-connected distribution systems. The systems measure the terminal voltage of the power conditioning subsystems (PCSs) installed in each home, calculate the difference between the power management value and the preset value, and then set the voltage rise suppression function operating voltage individually.		2014/04/03
patent	1129	Energy	Active materials for rechargeable lithium batteries, negative e lectrodes for batteri es, and batteries	Senior Research Professor (retired)	The cycle properties of rechargeable lithium ion batte ries (discharged capacity retention rate/cycle) were g reatly improved by forming an amorphous film produced with the electro-deposition process with Si, O, and C as its main constituents in an electrical power collector as a negative electrode active substance. The manu facturing process for forming the plating is also simple.		2014/04/03
research	2017-0223-07	Manufacturing Technology	Healing of Fatigue Cr ack in the Metallic M aterials by Heat Trea tment	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	● Implementation of fatigue crack healing of 90% ■ Implementation of static tensile strength of 75% ■ Fatigue crack healing due to elimination of oxide film by vacuum heating, plasticity-induced crack closure and atomic diffusion.		2017/02/23
research	2017-0223-06	Manufacturing Technology	Direct Bonding of Dis similar Materials Hav ing 3D Nanostructured Interfaces	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	● Fabrication of nanospike structure (NSS) on aluminum surfaces● Direct joining of CFRTP and Al by hotpress● Improvement of adhesive strength by silane-coupling t reatment		2017/02/23

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2017-0223-03	Manufacturing Technology Energy	Development of a Simp le Fabrication Proces s for a Printable Pie zoelectric Energy Har vest Device	Senior Researcher (retired) Research Council (Research Organization) Institute for Nanoscience & Nanotechnology	$\blacksquare$ A metal nanoink and a household printer is used for electrode Fabrication and lamination method is used fo r Assembly of the device $\blacksquare$ Electric power of $\boxtimes$ 1.12 $\mu$ J was obtained		2017/02/23
research	2011-0914-04	Manufacturing Technology	Manufacturing methods and improvement of m echanical properties for porous metals	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering Department of Applied Mechanics and Aerospace Engineering	Manufacture of various kinds of aluminum alloy using the melt-foaming method (proposal for pore stabilization) Technique for strengthening porous metals by plastic working (rolling, extrusion, wire brushing, shot peening, etc.)		2014/05/21
research	2011-0922-04	Manufacturing Technology	Liquid crystal wide-a ngle fovea lenses	Guest Researcher (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	We are currently working to develop liquid crystal wid e-angle fovea lenses, by adapting elements using liquid crystal materials, whose refraction index can be controlled by an externally applied voltage, to enable changes in magnification and the position of the focus (single or multiple), while maintaining a 120 degree wide field of view. They are constructed from 1.5mm optical lenses (liquid crystal lens cells), and do not require mechanically moving parts.		2014/05/21
research	2012-0618-01	Manufacturing Technology	Life-cycle simulation technology for the r ealization of recycli ng-oriented productio n	Professor (retired) Faculty of Science and Engineering School of Creative Science and Engineering	This project creates life-cycle planning and life-cycle simulation technology in order to plan and evaluate entire product lifecycles, from design, production, specification, collection, and recycling, all in order to build in measures to reduce environmental burdens from the product planning and development stages.		2014/05/21
patent	615	Manufacturing Technology	Timber modifying meth od and timber modifie d thereby	Guest Professor (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	This invention keeps various types of medicinal substa nces that have been coated or immersed during timber m odification, from being leached by water. It improves durability while maintaining the unique exterior and d egree of humidity of timber. It also enables the use o f timber in areas that it had not previously been used in for legal reasons, and is expected to contribute t o expanding the demand for timber and reforestation in Japan.		2014/04/03
patent	797	Manufacturing Technology	Composition for cutti ng and grinding, cutt ing and grinding oil, cutting and grinding wheel and surface tr eatment material	Professor (retired)	This invention disperses mineral micro-particles which have an extremely low environmental load in cutting a nd grinding oil, etc. or attaches them to the surfaces of working tools for machining, in order to contribut e to improving machining accuracy and tool life.		2014/04/03
patent	806	Manufacturing Technology	Modifier providing or ganic polymer product s with self-extinguis hing properties, meth od of use of the modi fier, and ors having self-extinguishing pr operties	Guest Professor (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	This invention can provide organic polymer products su ch as plastic, rubber, wood, paper, etc. with self-ext inguishing properties simply and at a low cost, withou t reducing the physical properties of the products. It does not use substances such as halogen compounds, et c. which generate toxic gases when there is a fire so it has an extremely small impact on the environment. It can be used in all industries that employ organic polymer products, and it is expected to be used in the housing industry and auto industry in particular.		2014/04/03
patent	1038	Manufacturing Technology	Mold manufacturing me thod and the molds fo rmed using the method	Professor Faculty of Science and Engineering School of Advanced Science and Engineering Department of Applied Chemistry	This invention provides an electrolytic thick-film met al mold with the feature that the adhesive force betwe en the electroless nickel (Ni) plated film formed on the self-assembled film and the inorganic thin film on the substrate is greater than 10MPa and less than 50MPa. Embedding is also possible with nano-sized patterns and the shapes of three-dimensional structures.		2014/04/03
patent	1231	Manufacturing Technology	Flapping robot	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering Department of Electronic and Photonic Systems	This invention is a compact unmanned aerial vehicle (or micro aerial vehicle (MAV)) which performs a flapping motion, and can freely change the angle of its flapping and feathering.		2014/04/03
research	2015-1215-07	Social	Human-Robot Musical I nteraction	Professor Faculty of Science and Engineering	● Musical robots must be able to communicate with part ner artists(Fig. 2) ● Musical robots should recognize and send real-time non-verbal signals ● Sensor system for real-time non-verbal signals monitoring ● Multi-sensor : detects several signals at once (Fig. 3)		2015/12/15
research	2015-1215-06	Social	Human-Robot Laughter Interaction	Professor Faculty of Science and Engineering	<ul> <li>Sensor system for real-time laughter monitoring(Fig.</li> <li>2) ● Wearable: non-invasive and portable ● Multi-sensor: measure all laughter-related body changes</li> </ul>		2015/12/15

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2015-1215-05	Social	Development of a Wear able Motion Capture S ystem for Balance Eva luation of Older Adul ts	Professor Faculty of Science and Engineering	<ul> <li>Inertial Measurements Unit (IMU) motion capture syst em (Fig.1) ● One Leg Stance test with older adults (Fig.2) ● Automatic One Leg Stance segmentation (Fig.3) ● A uto-detection of gait abnormality (Fig.4)</li> </ul>		2015/12/15
research	2015-1215-04	Social	Development of Sublim inal Persuasion Syste m for Laparoscopic Tr aining	Professor Faculty of Science and Engineering	● Experimental setup and materials(fig.1) ● Different t ypes of feedback(fig.2) ● The different between first t rial and last trial(fig.3) ● Workload of each group during laparoscopic training(fig.4)		2015/12/15
research	2015-1215-03	Social	A Robot Arm with Nove l, Intrinsically Safe Joints	Guest Senior Researcher Faculty of Science and Engineering Graduate School of Creative Science and Engineering	● Novel actuators with adjustable torque limiters● Direct Teaching capability● 7 DOF robot arm, 1m reach, 5k g payload		2015/12/15
research	2015-1215-02	Social	Small Sized Force / T orque Sensors for Rob otic Arms and Hands	Guest Senior Researcher Faculty of Science and Engineering Graduate School of Creative Science and Engineering	● Novel 6-axis F/T sensor based on capacitive ensing ● Novel 3-axis force sensors for distributed tactile sensing		2015/12/15
research	2015-1215-01	Social	Ultrasonic Diagnosis Support Robot for Pre natal Care	Professor Faculty of Science and Engineering School of Creative Science and Engineering	● Online service: The obstetrician controls "Tenang" vi a teleoperation to see the ultrasonic images and diagn osis in real time. ● Offline service: "Tenang" moves a utomatically to get and send the fetus images. The obstetrician checks them by the image reconstruction system.		2015/12/15
research	2011-0906-04	Social	The creation of index es for fostering gree n manufacturers and g reen consumers	Professor Faculty of Social Sciences School of Social Sciences	We implement a method of analyzing inter-industry relations in the evaluation of influence by corporate environmental activities on the environment from a wide range of perspectives. Furthermore, econometrics methods based on social statistics will be applied in order to evaluate and analyze the correlation between consume repensive the social statistics and the activities of corporations themselves, such as family budget surveys and industrial statistics surveys. Consideration will then be given to consumer satisfaction (usefulness index), production costs incurred by the company, environmental impact (the LCA-based CO2 emissions resulting from the manufacturing of that product), etc., at the same time, to determine what corporations should do and what kind of information they should publicize in order to reduce the CO2 emissions of society as a whole when faced with the difficult problem of choosing between whether to:1. Seller bottle beverages refrigerated or at normal temperature2. Promote the use of public transport or carsharing3. Build a new eco-house or renovate an existing one		2014/05/21
research	2011-0907-01	Social	Methods of quantitati ve evaluation and sea rching for industry-a cademia and inter-cor porate alliances in r esearch and developme nt	Associate Professor (retired) Affiliated organization Waseda Institute for Advanced Study	We can analyze the influence inter-corporate collabora tion has on the boosting of research and development c apabilities using object data such as those taken from patents or academic papers. Using the results of analy ses to select the coordinator that is most suitable for the issue at hand leads to the potential to establis h a network among companies of different industries with the minimal amount of time, effort and money by making use of the coordinator's network.		2014/05/21
research	2011-0907-02	Social	Scientific analysis o f the workflow in the production of animat ion and long-term hum an resources cultivat ion	Associate Professor (retired) Affiliated organization Waseda Institute for Advanced Study	Based on detailed ethnographic analyses of the workflo w in the production process of animations at different companies, it is possible to recreate simulations of the individual processes. Based on this model, we will be able to give advice on division of labor from the perspectives of efficiency and long-term cultivation of human resources who engage in creating the contents of animations.		2014/05/21
research	2011-0921-01	Social	Change in population and society in Northe ast China	Faculty of Social Sciences School of Social Sciences	In order to strengthen the competitiveness of the Chao xianzu who live in Northeast China, as a people in the country, unique efforts are being made in terms of ed ucation in particular. At Yanbian University for example, there is much enthusiasm not only for Korean and C hinese but also for Japanese education. The rates of e xchange studies and employment for its students in Japanese universities and companies is also high. For this reason, the region is characterized by the high educational level of the people first and foremost, and also for its pro-Japanese attitude. Information can be provided on the status of Northeast China (which is expected to develop in the near future), from the primary perspectives of ethnic education and changes in adapt ation to society.		2014/05/21

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2011-0929-01	Social	Earthquake reconstruc tion and protection o f living heritage fro m the perspective of Islamic architectural history in India	Part-time Lecturer (retired) Research Council (Research Organization) Organization for Islamic Area Studies	We learned about the mapmaking in Bhadreshwar, Mundra, Kutch District in the state of Gujarat, India (plane table survey), its community classification under reli gion and the caste system, and the architectural asset s remaining from an era when the region flourished thr ough Indian Ocean trade. In the reconstruction support that followed the earthquake, the public were educate d in order to understand the protection of living heri tage and other buildings, and collaborative activities with Indian urban development enterprises have been i mplemented. There is also a personal network in the In dian Islamic world.		2014/05/21
patent	203	Social	Distortion correction method	Vice-President (retired) Faculty of Science and Engineering School of Advanced Science and Engineering Department of Applied Physics	In image measurement using digital cameras, this is a method for correcting distortion in camera lens, there by enabling highly precise shape measurement.		2014/04/03
patent	204	Social	Method of measuring d imension and shape us ing digital camera	Vice-President (retired) Faculty of Science and Engineering School of Advanced Science and Engineering Department of Applied Physics	In image measurement using digital cameras, this is a method for extracting the measurement points from data of images shot such as the corners of buildings, correcting lens distortion using those coordinate values, and measuring dimensions and shapes.		2014/04/03
research	2012-0928-02	Frontier	Uncovering Polymer Di electric Properties i n Terahertz Frequenci es	Senior Research Professor Faculty of Science and Engineering School of Advanced Science and Engineering	Our laboratory studies the electric and optical proper ties of dielectric materials. The types of dielectric materials we study are as follows: Polymer research, electronic device research, applied optics research Nuclear power and accelerator application research		2014/05/21
patent	2861	Life sciences	構造体、および構造体 の製造方法	Professor Faculty of Science and Engineering Graduate School of Information, Production, and Systems			2025/01/07
patent	2845	Life sciences	センサシステム、セン サ、リーダ、および測 定方法	Professor Faculty of Science and Engineering Graduate School of Information, Production, and Systems			2024/12/05
patent	2837	Life sciences	共培養デバイスおよび その使用	Associate Professor Faculty of Science and Engineering School of Fundamental Science and Engineering			2024/12/03
patent	2809	Life sciences	眼屈折力検査装置及び 眼屈折力検査方法	Associate Professor Faculty of Human Sciences School of Human Sciences			2024/10/01
patent	2789	Life sciences	切り紙グリッパー	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering			2024/07/05
research	2023-1025-07	Life sciences	世界の動物輸血医療を変える人工赤血球	Guest Senior Researcher (retired)	◆ ウシHbを脂質膜で被覆したリポソーム型人工酸素運搬体◆ 特許技術による製造方法の確立(特許6061343号、早稲田大 学)◆ と畜牛の廃棄血液の有効活用による安定的確保		2023/10/25
research	2023-1025-05	Life sciences	細胞老化の制御による 創薬:NASH, HCC治療薬 を例として	Professor Faculty of Human Sciences School of Human Sciences	◆スクリーニングの結果、非アルコール性脂肪性肝疾患/非アルコール性脂肪及び肝がんの予防・治療剤候補を同定した。		2023/10/25
research	2023-1025-04	Life sciences	新奇な環状ペプチド " ジケトビペラジン (DKP) " のスマートバイオプロセスによる機能性の開発研究	Professor Faculty of Human Sciences School of Human Sciences	◆ 細胞内の品質管理を担うオートファジーを活性化することで、健康増進に寄与する可能性がある。◆ 開発研究によって、ある種のDKPに細胞内のオートファジーを活性化する作用を見出している。◆ オートファジーの活性化は、美容や妊活などにも機能することから、DKPの新奇の健康機能性を開拓できる。		2023/10/25

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2023-1025-03	Life sciences	株式会社BioPhenoMA 早稲田大学から新規ベンチャーがスタート!	Professor Faculty of Education and Integrated Arts and Sciences School of Education	◆ 質量分析法などに比べて、圧倒的に簡便で迅速。前処理はほぼ不要。低価格も実現。◆ PCRによる核酸検出(NAAT)法と比べて、死菌・生菌などの区別が容易。◆ 創薬開発の効率化・個別化医療のほか、作用機序の解明により、新たな創薬・治療ターゲットの創出や、生物医学分野の更なる進歩に貢献。		2023/10/25
research	2023-1025-02	Life sciences	タンパク質の極微量定量法の検査への応用	Professor Faculty of Education and Integrated Arts and Sciences School of Education	◆ タンパク質を検出するシグナルを増幅すれば極微量のタンパク質も定量できる。◆ サンドイッチELISA法とthioNADサイクリング法とを組み合わた 「酵素サイクリング改良法」を用いると極微量のタンパク質も定量できる。		2023/10/25
research	2023-1025-01	Life sciences	酵素を複合化した高分 子ファイバー・センサ 〜気相での保存と使用 ができ、生体ガスをイ メージングする〜	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	◆ 酵素を自家蛍光が低い水溶性高分子に混合して電荷紡糸のみで作製。◆ ガス透過性に適したファイバー・メッシュ状センサ。◆ 気相で保存しそのまま使用できる。 まずエタノールガスの検出を実施。		2023/10/25
patent	2622	Life sciences	ヒートポンプ用性能モ ニタリング装置	Associate Professor (retired) Affiliated organization Waseda Institute for Advanced Study			2023/03/09
patent	2535DIV	Life sciences	医療システム及びそれ を実行する方法	Professor Faculty of Human Sciences School of Human Sciences		特開2022-683 62	2022/06/13
patent	2489	Life sciences	医療システム及びそれ を実行する方法	Professor Faculty of Human Sciences School of Human Sciences		特開2022-420 08	2022/05/02
patent	2446	Life sciences	自立膜、積層シート、 及び自立膜の製造方法	Professor Faculty of Science and Engineering School of Advanced Science and Engineering		特許第742465 2号	2022/01/31
patent	2335	Life sciences	胚盤胞形成促進剤	Professor Faculty of Human Sciences School of Human Sciences		特許第750569 1号	2021/11/10
patent	2421	Life sciences	チップ固有乱数発生装置	Professor (retired) Faculty of Science and Engineering Graduate School of Information, Production, and Systems		特許第757573 4号	2021/11/10
patent	2263	Life sciences	異種接合材の純モード 層間破壊靱性評価試 験法の開発	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	◆ DCB試験の応用 ◆ 異種材接合に伴う混合モードの影響を除去◆ 熱残留応力の影響をキャンセル◆ 正確なモード I 層間破壊靱性の評価	特許第727988 0号	2021/06/07
patent	2354	Life sciences	光スイッチ	Professor Faculty of Science and Engineering School of Advanced Science and Engineering		特許第749156 5号	2021/01/12
patent	2062	Life sciences	生体外で創る血管病モデルと薬剤スクリーニングへの応用	Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	患者の血管病の病態に近似し、簡便かつ短期間で作製 可能で、血管組織が正常から病態へと経時間的に変化するプロセスを解明することが可能な、ex vivoの疾患モ デルの作製方法を確立し、血管病の予防又は治療のため の薬剤のスクリーニングに利用可能な疾患モデルを提供 することを課題とする。	特開2020-315 38	2020/04/14
patent	2053	Life sciences	チキソトロピー性を有するゲルを用いる多層3次元細胞培養足場システム	Professor Faculty of Science and Engineering School of Advanced Science and Engineering			2019/04/19
patent	1907	Life sciences	アストロサイト分化促 進用組成物	Professor Faculty of Science and Engineering		特許第688384 5号	2018/11/13
patent	1903	Life sciences	最適特性を有する非天 然型タンパク質の製造 方法	Professor Faculty of Science and Engineering		特許第691705 0号	2018/10/08

type of seeds	number	field	title	researcher	summary	patent number	posted
patent	1889	Life sciences	ニューレグリン1 α様活性を有するポリペプチド及び糖尿病治療用医薬組成物	Professor Faculty of Science and Engineering		特許第686953 0号	2018/09/12
patent	1860	Life sciences	フェルラ酸誘導体含有 組成物及びその製造方 法	Professor Faculty of Science and Engineering	本発明は、フェルラ酸誘導体を含有する医薬組成物及び食品 組成物等の組成物及びその製造方法に関するものである。	特許第679275 3号	2018/07/13
research	2016-0614-02	Life sciences	顎顔面マッサージロボ ット	Professor Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	顎関節症等の疾患に有効な顎顔面マッサージを行うロボットの設計ならびに制御に関する技術、この技術を用いることで、熟練した施術者が行うような力強さとしなやかさを兼ね備えたマッサージが可能.		2016/07/14
patent	1808	Life sciences	皮膚表面 p Hの測定法	Senior Research Professor (retired)	■動物(ヒト、イヌ、ネコ、サルなど)の皮膚表面の p Hを測定する方法。	第6692542号	2016/06/06
research	2014-0122-08	Life sciences Nanotechnology / Materials	光学顕微鏡を用いた局 所温度測定	Part-time Lecturer (retired) Research Council (Research Organization) Organization for University Research Initiatives	・ポリマーナノ粒子型の蛍光ナノ温度計・ナノ粒子の直径は 約100nm、位置決め精度は数nm、温度分解能は約0.3℃・カメ ラの速度に依存した高い時間分解能(数10 ms~数10μs程度 )		2014/01/31
research	2013-1022-06	Life sciences	クエン酸濃度の迅速測 定法	Professor Faculty of Science and Engineering School of Advanced Science and Engineering Department of Applied Chemistry	・従来法(15分程)と異なり、数秒で測定可能・有機溶媒や 高価な酵素を用いず、検出感度が高い		2013/10/25
research	2013-1022-05	Life sciences	機能性ペプチドの合成法	Professor Faculty of Science and Engineering School of Advanced Science and Engineering Department of Applied Chemistry	・非リボソーム型ペプチド合成酵素(NRPS)由来のモジュール やドメインを利用したジペプチド合成・特定アミノ酸に限定 されないジペプチド合成技術		2013/10/25
research	2013-1022-04	Life sciences	海洋天然化合物	Professor Faculty of Science and Engineering	・海洋無脊椎動物は低分子化合物の宝庫・エピジェネティク ス研究のツール		2013/10/25
research	2013-1022-03	Life sciences	生体内常在性物質によ る抗がん作用	Professor (retired) Faculty of Education and Integrated Arts and Sciences	・がん細胞に対して選択的に死滅・増殖抑制させる化合物Xを発見した・化合物Xは生体内に常在する物質であるため副作用がない		2013/10/25
research	2013-1022-01	Life sciences	コラーゲンを用いる新 規DDS	Professor Faculty of Science and Engineering	・ステルス性と高尿排泄性を持つ今までに無い薬物担体・抗 原性が低く安定		2013/10/25
research	2013-1021-03	Life sciences	人工赤血球の新しい臨 床応用	Guest Senior Researcher (retired) Research Council (Research Organization) Organization for University Research Initiatives	・人工赤血球(Hb小胞体)の製造法を確立・安全性・有効性の 膨大なデータを保有・カプセル化により分子状Hbの毒性を回 避		2013/10/25
research	2013-1021-02	Life sciences	諸物性がデザインでき る "テーラーメイド輸 送体によるDDS"	Faculty of Science and Engineering	・創薬とDrug Delivery Systems(DDS)を融合させるプラットフォーム・ナノ輸送体の物性デザインにより薬物動態を制御(独自の機能性脂質ライブラリーを使用)・新薬開発の加速、付加価値DDS製剤の創出		2013/10/25
research	2013-1021-01	Life sciences	高感度DOI-PET検出器	Professor Faculty of Science and Engineering School of Advanced Science and Engineering Department of Applied Physics	・画像診断用PET装置の解像度向上・ガンマ線の吸収位置「 3次元」計測 ・磁場耐性の新しい半導体光センサー		2013/10/25
research	2013-1017-03	Life sciences	非侵襲的内出血抽出ア ルゴリズム	Professor Faculty of Science and Engineering School of Creative Science and Engineering	・救急医療における内出血検出(FAST)の感度向上・超 音波画像処理に基づき血液貯留の疑義箇所を抽出する診断支 援システムの構築		2013/10/25

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2013-1017-02	Life sciences	モバイル端末操作型エコー遠隔診断ロボット	Professor Faculty of Science and Engineering School of Creative Science and Engineering	・遠隔地医師によるモバイル端末の操作で、救急搬送中の外 傷患者の内出血の有無を診断可能・開発した操作アプリ・ロ ボット・通信技術を妊婦健診に活用することで新たなビジネ スプランを創出		2013/10/25
research	2013-1017-01	Life sciences	非侵襲メラノーマ診断 支援システム	Professor Faculty of Science and Engineering	・非侵襲的方法によるメラノーマの早期発見・色素分子レベルの情報に基づく客観的かつ定量的な診断支援		2013/10/25
patent	2864	Information	量子計算システム及び 量子計算方法	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering			2025/03/04
patent	2895	Information	液体センサ	Professor Faculty of Science and Engineering School of Advanced Science and Engineering			2025/03/03
patent	2834	Information	ニューラルネットワー クのトレーニング方法 へのトレーニングア ーキテクチャ及びプロ グラム	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering Department of Computer Science and Engineering			2025/02/04
patent	2827	Information	量子ビット素子および 量子ビット素子の製造 方法	Professor Faculty of Science and Engineering School of Advanced Science and Engineering			2025/01/07
patent	2852	Information	圧電膜及び該圧電膜を 用いた周波数フィルタ	Professor Faculty of Science and Engineering School of Advanced Science and Engineering			2024/11/06
patent	2812	Information	光信号受信器及び光信 号受信方法	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering			2024/11/06
patent	2769	Information	光学素子および空中映 像投影装置	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering			2024/07/29
patent	2230	Information	音声対話システムにお ける発話タイミング制 御	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering Department of Computer Science and Engineering	システム発話タイミング検出手段は、ユーザの発話権維持又は譲渡/放棄かをパターン認識処理により逐次推定し、次発話準備手段は、システム発話タイミング検出手段と非同期、かつ開始タイミング検出前に、システムの次発話の内容データを準備する。そして、システム発話の開始タイミングの検出後に、次発話準備手段により準備された次発話を用いて、遅れなくシステム発話を再生する対話システムである。	特許第727421 0号	2021/09/06
patent	2212	Information	3D高精細CG画像の高速 レンダリング(煙、炎 等の反射を高速描画)	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	非均一関与媒質が物体の表面に反射して見える映り込みを計算するレンダリング方法であり◆ 煙や炎を含む三次元領域をスライス状の面光源の重なりと見なす ◆ 各スライスが照らす明るさは解析的かつ瞬時に計算可能◆ 媒質を伝わる光の間接照明効果を効率的かつリアルに表現可能	特許第730286 2	2021/04/09
patent	2237	Information	電気機器の動作監視、 異常検出方法	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	動作部と制御部を有する電気機器(フライホイール等)の制御 状態監視方式であり、状態データ (制御信号等)を用いて、 動作部が所定の目的状態(【例】X,100回転での運転 / Y:70 回転での運転 )であることを示す特徴データ(尤度等)をパターン認識により得て抽出する状態推定器と、その特徴データ を用いて、①クラス識別、②外れ値検知、③新規性検知のいず れかの処理を実行し、動作制御の異常の有無や程度を示すス コアを出力する異常検知器とを設け、動作状態推定と異常検 知とを二段階で行う構成とした。"	特許第747389 0号	2021/03/24

type of seeds	number	field	title	researcher	summary	patent number	posted
patent	2357	Information	レーザービームスキャナ	Professor Faculty of Science and Engineering School of Advanced Science and Engineering		特許第753009 9号	2021/03/15
patent	2305	Information	異物探知システム	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering		特許第746159 4号	2020/04/14
patent	2225	Information	複数の視野外障害物を 検知するシステム	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering		特許第734863 4号	2019/11/08
patent	2060	Information	検出方法及び検出装置	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering		特許第713643 9号	2018/07/13
patent	334JP	Information	ハードウェアトロイの 検出方法、検出プログ ラム、および検出装置	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering		第6566576号	2018/05/17
patent	2807	Environment	積層体の解体方法	Professor Faculty of Science and Engineering School of Creative Science and Engineering			2024/11/06
patent	2764	Environment	分離方法及びリチウム イオン二次電池用電極 活物質のリサイクル方 法	Professor Faculty of Science and Engineering School of Creative Science and Engineering			2024/07/05
patent	2663	Environment	情報処理装置、探査装 置およびプログラム	Professor Faculty of Science and Engineering School of Creative Science and Engineering			2023/07/14
patent	2347	Environment	細線を用いた電気パル ス解体方法 (手作業解 体からの解放に向けて )	Professor Faculty of Science and Engineering School of Creative Science and Engineering	少なくとも2個の部材が接合されてなる対象物の表面の一部 分に導電性材料を接触させ、大気中で前記導電性材料に高電 圧パルスを印加して衝撃波を発生させて、前記対象物の接合 部位に衝撃波を作用させることで前記対象物の部材同士を剥 離させる、対象物の解体方法。	特許第757266 7号	2022/03/01
patent	2262	Environment	排気浄化システムおよび排気浄化方法	Professor Faculty of Science and Engineering School of Advanced Science and Engineering		特許第723157 8号	2021/11/10
patent	2261	Environment	排気浄化システム	Professor Faculty of Science and Engineering School of Advanced Science and Engineering		特許第739309 8号	2021/10/11
patent	2416	Environment	空気中の二酸化炭素を 除去する方法	Junior Researcher (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering			2021/06/23
patent	2205	Environment	二酸化炭素の固定化方法	Professor Faculty of Science and Engineering School of Creative Science and Engineering		特許第731300 2号	2020/11/09

type of seeds	number	field	title	researcher	summary	patent number	posted
patent	1334	Environment Social	高感度コンプトンカメ ラ	Professor Faculty of Science and Engineering School of Advanced Science and Engineering Department of Applied Physics	高感度で容易に携帯可能なガンマ線撮影用のコンプトンカメ ラです。	特許第599151 9号	2014/06/19
patent	1102	Environment Social	アルミニウム合金選別 システム	Professor (retired) Faculty of Science and Engineering School of Creative Science and Engineering	合金系別にアルミニウム合金を判別し回収出来るシステムです。アルミニウムあるいはアルミニウム合金は、省資源化と低コスト化の観点からリサイクルされています。迅速かつ大量にアルミニウムおよびアルミニウム合金は添加される金属が別して回収する中で、アルミニウム合金は添加される金属ごとに合金種が異なり、その用途も異なるために合金系別にアルミニウム合金の判別そして回収が必要です。	第5562193号	2014/06/18
patent	149JP	Environment	重金属不溶化剤	淳司 山崎 教授 理工学術院 創造理工学部 環境資源工学科	天然鉱物由来の新しい重金属溶出抑制剤、還元機能を有する 為、6価クロム、砒素、セレンなどの溶出抑制にも利用でき る。	第5697334号	2014/06/10
research	2012-1001-06	Environment	自動車室内の快適な温 熱環境に関する研究	Professor Faculty of Science and Engineering School of Creative Science and Engineering	本研究では、非定常・不均一な温度環境下における快適性予測を目的とし、車室内乗員の詳細な生理量予測、快適性予測を試みている。夏季炎天下条件、冬季暖房条件に実車両を用いた被験者実験を実施し、予測精度の検証データを得ている。 それらの結果を基に、体温調節数値モデルである人体熱モデルJOSの開発・改良に加えて、人体熱モデルJOSと数値流体解析CFD・放射解析との連成計算を行っている。		2012/10/01
patent	2577	Nanotechnology / Materials	ファイバレーザ装置、 光ファイバ共振器及び その製造方法	Professor Faculty of Science and Engineering School of Advanced Science and Engineering			2025/03/03
patent	2851	Nanotechnology / Materials	CNT膜の製造方法および CNT膜	Professor Faculty of Science and Engineering School of Creative Science and Engineering			2025/01/07
patent	2799	Nanotechnology / Materials	データ処理方法、データ処理装置、及びデータ処理プログラム	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering			2024/09/03
patent	2790	Nanotechnology / Materials	六角筒連続体の製造方法	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering			2024/07/05
research	2023-1025-06	Nanotechnology / Materials	流体制御による高効率 細胞トラップデバイス の開発	Assistant Professor	◆ 独自流路構造によって細胞の単離や任意の細胞の取り出し に成功		2023/10/25
research	2023-0127-07	Nanotechnology / Materials	3Dナノ界面を有する異種材料接合技術	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering			2023/01/27
research	2023-0127-06	Nanotechnology / Materials	切り紙構造を用いたフレキシブル熱電発電デバイス	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering			2023/01/27
research	2023-0127-05	Nanotechnology / Materials	新しい化学反応手法の 確立	Assistant Professor			2023/01/27
research	2023-0127-04	Nanotechnology / Materials	感圧/感温塗料を用いた 可視化計測技術	Professor Faculty of Science and Engineering School of Creative Science and Engineering			2023/01/27
research	2023-0127-03	Nanotechnology / Materials	気相で保存できそのま ま使える高分子とタン パク質の複合化分子認 識・センシング材料の 開発	Professor Faculty of Science and Engineering School of Advanced Science and Engineering			2023/01/27

type of seeds	number	field	title	researcher	summary	patent number	posted
research	2023-0127-02	Nanotechnology / Materials	大量センサへ配線レス で給電する素子の開発	Professor Faculty of Science and Engineering School of Advanced Science and Engineering			2023/01/27
research	2023-0127-01	Nanotechnology / Materials	海水のイオン導電性を 利用した海中無線通信 〜海水管,漁業用いけ す内のワイヤレスリア ルタイムモニタリング が可能に〜	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering			2023/01/27
patent	2414	Nanotechnology / Materials	窒化ホウ素ナノチュー ブ (BNNT) の新規製造 方法	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	◆ 新規なBNNTの製造方法 一ホウ酸蒸気を用いたCVD法に よる製造方法	特許第751017 3号	2021/10/11
patent	2294	Nanotechnology / Materials	一酸化炭素の生成方法 、前駆体の製造方法お よびケミカルルーピン グシステム用材料	Professor Faculty of Science and Engineering School of Advanced Science and Engineering		特許第749150 5号	2021/09/06
patent	2177	Nanotechnology / Materials	重金属類吸着剤および その製造方法	Professor Faculty of Science and Engineering School of Creative Science and Engineering	自然由来土壌、工場跡地等及び廃棄物焼却灰から溶出する重 金属類を吸着して不溶化剤として作用する重金属類吸着剤、 不溶化剤およびその製造方法に関するものである。	特許6818330 号	2021/04/20
patent	2217	Nanotechnology / Materials	正極材および蓄電デバ イス	Professor Faculty of Science and Engineering School of Advanced Science and Engineering		特許第720257 0号	2021/01/22
patent	2291	Nanotechnology / Materials	CNT-PSS透明導電膜:簡易・柔軟・低抵抗・安定	Professor Faculty of Science and Engineering School of Advanced Science and Engineering	◆ PSS水溶液にCNTを分散させて製膜する だけの簡易な手法の提供 ◆ 低抵抗(115 Ω/sq)、高透過率(90%)、 高い耐久性(>1000 h)、耐熱性(250 図C)を実現	特許第753572 8号	2020/11/12
patent	2316	Nanotechnology / Materials	ダイヤモンド電界効果 トランジスタ及びその 製造方法	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering		特許第749154 7号	2020/11/12
patent	2127	Nanotechnology / Materials	ポリマー、電極活物質 及び二次電池	Professor Faculty of Science and Engineering School of Advanced Science and Engineering			2020/06/17
patent	2214	Nanotechnology / Materials	カーボンナノチューブ の製造装置および製造 方法	Professor Faculty of Science and Engineering School of Advanced Science and Engineering		特許第715864 6号	2019/10/16
patent	2039	Nanotechnology / Materials	ノーマリオフ動作ダイ ヤモンド電力素子及び これを用いたインバー タ	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering		第7017016号	2018/04/18
patent	1931	Nanotechnology / Materials	組電池、電池モジュー ルおよび電池モジュー ルの評価方法	Senior Research Professor (retired)		第6561407号	2017/06/23
patent	1923	Nanotechnology / Materials	トランス及び該トラン スを用いたレクテナ	Professor Faculty of Science and Engineering School of Advanced Science and Engineering		特許第695574 7号	2017/06/23
patent	1870	Nanotechnology / Materials	二次電池	Professor Faculty of Science and Engineering School of Advanced Science and Engineering		特許第686012 5号	2017/03/10

type of seeds	number	field	title	researcher	summary	patent number	posted
patent	1843	Nanotechnology / Materials	トランジスタの製造方 法及びセンサ素子	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering		特許第620501 7号	2017/03/06
patent	1618	Nanotechnology / Materials	テーパ光ファイバの製 造方法	Professor Faculty of Science and Engineering School of Advanced Science and Engineering		特許第644840 8号	2017/03/06
patent	1827	Nanotechnology / Materials	曲げ変形および伸縮変 形可能な電子デバイス	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering		第6773956号	2016/07/05
patent	1828	Nanotechnology / Materials	視覚的質感提示デバイ スおよび視覚的質感提 示方法	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering		第6749630号	2016/07/05
patent	1782	Nanotechnology / Materials	電力素子	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering		第6712735	2016/04/08
research	2014-0122-07	Nanotechnology / Materials	異種材料の低温大気圧 ハイブリッド接合技術	Guest Senior Researcher (retired)	・配線金属と透明基板材料の150℃・大気圧雰囲気での混載接合(他材料接合事例あり) IEEE NANO ベストポスターペーパー賞,日刊工業新聞掲載(2013.10.25),関連特許2件など		2014/01/31
research	2014-0122-06	Nanotechnology / Materials	ナノインプリント技術 を用いた高品質GaNテン プレート基板	Guest Senior Researcher (retired)	・ナノインプリント技術によるナノサイズのマスクパターン 転写技術・ドライエッチング技術によるELOに適したマスク パターン形成技術・HVPE技術によるGaN結晶成長技術( 古河機械金属(株))・光学測定による結晶性/残留歪評価 技術(金沢工業大学)		2014/01/31
research	2014-0122-03	Nanotechnology / Materials	EB-NILによる極微細構 造体作製	Professor (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	・省エネ・低コストでの微小部材作製方法・生体適合性に優れた微小部材・極限環境下で使用可能な耐薬品・耐熱・耐放射線性に優れたフッ素系微小部材		2014/01/31
research	2014-0122-02	Nanotechnology / Materials	新規なプラズモンセン サ及びラマン分光法を 用いた界面計測技術	Professor Faculty of Science and Engineering School of Advanced Science and Engineering Department of Applied Chemistry	・表面プラズモンセンサと表面増強ラマン散乱を応用したラマン分光法による界面計測技術・新規なナノ構造の「反射型プラズモンセンサ」を開発・測定物に対応した自由なセンサ部の設計が可能・固液界面を深さ分解能0.1nm以下、非破壊での観察を実現		2014/01/23
research	2014-0122-05	Nanotechnology / Materials	ダイヤモンド半導体を 用いた高信頼性電力素 子	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	・550℃の大気中でも導電性が確保され、絶縁性が向上した保護膜の製造方法・表面を水素化したダイヤモンド基板上に2層の保護膜を形成することで実現		2014/01/23
patent	2198	Energy	重合体、硬化性組成物 、硬化膜及び重合体の 製造方法	Senior Research Professor (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering			2019/10/16
patent	2839	Manufacturing Technology	チェーン構造体	Professor Faculty of Science and Engineering Graduate School of Information, Production, and Systems			2025/03/03

type of seeds	number	field	title	researcher	summary	patent number	posted
patent	2360	Manufacturing Technology	複合材料(CFRP)を用 いた曲面の製造方法、 製造システム	Senior Researcher (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering		特許第752304 4号	2022/05/06
patent	2281	Manufacturing Technology	酢酸の製造方法	Professor Faculty of Science and Engineering School of Advanced Science and Engineering		特許第763674 7号	2022/05/02
patent	2268	Manufacturing Technology	アルケン及び/又はア ルカンの濃縮方法並び に濃縮装置	Professor Faculty of Science and Engineering School of Advanced Science and Engineering		特許第758664 7号	2021/10/11
patent	2243	Manufacturing Technology	見えない物質から心の ストレスを見る	Guest Senior Researcher (retired) Research Council (Research Organization) Institute for Nanoscience & Nanotechnology	◆ 由来の異なる多数の医学的に重要なストレス物質信号を検出 ◆ 1チップ上の複数センサー信号から複数ストレス物質濃度を即時に推定◆ 日内変動,個人の特徴を考慮したストレスマネジメントフィードバック	特許第727677 4号	2021/06/07
patent	2186	Manufacturing Technology	レドックスフロー電池 システム	Professor Faculty of Science and Engineering School of Advanced Science and Engineering		特許第723215 5号	2021/04/09
patent	2163	Manufacturing Technology	α-オレフィンの製造方 法	Professor (retired) Faculty of Science and Engineering School of Advanced Science and Engineering		特許第732021 6号	2021/01/22
patent	2216	Manufacturing Technology	イソブチレンの製造方 法	Professor Faculty of Science and Engineering School of Advanced Science and Engineering		特許第725027 7号	2020/12/08
patent	2179	Manufacturing Technology	エチレンの分離方法	Professor Faculty of Science and Engineering School of Advanced Science and Engineering		特許第724569 9号	2020/11/09
patent	2086	Manufacturing Technology	微細なハイドロタルサイトを含有する吸着剤 の製造方法	Professor Faculty of Science and Engineering School of Advanced Science and Engineering			2019/09/13
patent	427JPDIV	Manufacturing Technology	電極接続方法及び電極 接続構造	Professor (retired) Faculty of Science and Engineering Graduate School of Information, Production, and Systems		第6667765号	2019/07/05
patent	1862	Manufacturing Technology	3 Dナノ構造界面を有する異種材直接接合	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	◆ 熱可塑性炭素繊維強化複合材料(CFRTP)の自動車車体への 適用及び、生産性、リサイクル性、燃費の向上◆ マルチマテ リアル化によるCFRTPとアルミニウム合金(AI)の接合技術開 発◆ AI表面上のナノスパイク構造(NSS)の作製◆ CFRTPとALの ホットプレスによる直接接合◆ シランカップリング処理によ る接着強度の向上	特許第680968 0号	2018/05/24
patent	1744	Manufacturing Technology	ボーラス構造体の製造中間体及び方法	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering Department of Applied Mechanics and Aerospace Engineering		特許第682937 3号	2017/10/25

type of seeds	number	field	title	researcher	summary	patent number	posted
patent	1910	Manufacturing Technology	羽ばたき型飛行機	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering Department of Electronic and Photonic Systems		特許第683156 6号	2017/06/23
research	2016-0614-01	Manufacturing Technology	医療手技訓練用ヒューマノイド	Professor Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	医師など医療従事者の訓練に用いる患者シミュレータに関する技術.アクチュエータによって1台のシミュレータでさまざまな患者を再現することや、センサによって手技を計測し評価することが可能.		2016/07/14
patent	2869	Social	熱電発電デバイス用基 板及び熱電発電デバイ ス	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering			2024/12/03
patent	2843	Social	被子植物の原形質流動 活性化剤、成長促進剤 、及び成長促進方法	Professor Faculty of Education and Integrated Arts and Sciences School of Education			2024/12/03
patent	2806	Social	触覚センサ及び触覚セ ンシングシステム				2024/08/05
patent	2787	Social	知覚支援システム、評価装置及びそのプログラム	Professor Faculty of Science and Engineering School of Creative Science and Engineering			2024/07/05
patent	2645	Social	人間の動きを先読みで きるロボット	Guest Senior Researcher Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	このシーズは、ロボットが人間と協働して効率的に作業を行うための動作制御システムで、主な特徴は以下の通り。①人間の行動推定:人間の位置情報や速度情報の時間的変化を解析し、タスクに対する行動を推定。②動作計画:推定結果に基づき、ロボットの通常行動、依頼行動(ロボットがタスクを人間に依頼)、支援行動(ロボットが人間を支援)の中から最適な行動を選択。③協働作業コスト:タスクごとの負荷を計算し、作業の効率を最大化。④柔軟性:状況に応じてリアルタイムで動作を調整。	特開2024-162 293	2023/07/06
patent	2641	Social	歩行補助装置	Professor Faculty of Science and Engineering Graduate School of Information, Production, and Systems		特開2024-125 944	2023/05/10
patent	2591	Social	待機・迂回を含む後退 的行動と接近・接触を 含む前進的行動を併せ 持つ自律移動ロボット の統合的軌道計画	Guest Senior Researcher Faculty of Science and Engineering Waseda Research Institute for Science and Engineering		特開2024-029 789	2022/10/07
patent	2515	Social	照射線量推定装置および照射線量推定方法	Professor Faculty of Science and Engineering School of Advanced Science and Engineering Department of Applied Physics		特許第746166 4号	2022/05/02
patent	2462	Social	運動促進用超小型軽量 ハプティック式歩行補 助シューズ	Professor Faculty of Science and Engineering Graduate School of Information, Production, and Systems	世界最小最軽量の歩行補助機。モータ等のアクチュエータを 使用せず、振動スピーカを足裏(母指球下)と足の甲(中足 骨上)に備え、 非対称波形の振動を適切なタイミングでそ れぞれ出力する。すると力の補助はしないが靴が足の底背屈 動作を促し、使用者自身の力で地面を蹴り、つま先を上げる ので歩行運動を促進する。	特開2023-771 51	2022/01/17
patent	2505	Social	僧帽弁を基点とした傍 胸骨左縁左室長軸像探 索手法	Professor Faculty of Science and Engineering School of Creative Science and Engineering		特開2023- 70601	2021/12/08

type of seeds	number	field	title	researcher	summary	patent number	posted
patent	2504	Social	心エコー検査ロボット	Professor Faculty of Science and Engineering School of Creative Science and Engineering			2021/12/08
patent	2484	Social	目的地周辺の人の位置 やロボットのタスク内 容等に合わせて適切な ゴール位置を動的探索 するシステム	Guest Senior Researcher Faculty of Science and Engineering Waseda Research Institute for Science and Engineering		特開2023- 32381	2021/10/12
patent	2485	Social	接触力と連続的な剪断力を提示可能な3軸ウェアラブルハプティックデバイス	Guest Senior Researcher Faculty of Science and Engineering Waseda Research Institute for Science and Engineering		特開2023- 28681	2021/09/06
patent	2457	Social	病変状態を模擬した心 臓弁等の臓器モデルの 作製	Professor Faculty of Science and Engineering Graduate School of Advanced Science and Engineering Cooperative Major in Advanced Biomedical Sciences		特許第7603316号	2021/05/14
patent	2387	Social	自律移動サービスロボットのための先導・追 従行動計画システム	Guest Senior Researcher Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	本発明は、所定の目的地まで歩行者等の移動対象を先導し、 また、荷物運搬や警護等のために移動対象に追従するタスク を行うための自律移動ロボット、並びに、その制御装置及び 制御プログラムに関するものであり、混雑した空間内におい て想定される様々な不測の事態に対応しながら、サービスタ スクを継続させられることを特長とする行動計画手法である 。	特許第747839 3号	2020/11/09
patent	2392	Social	クラッチ機構を用いた 動的重力補償ロボット システム	Guest Senior Researcher Faculty of Science and Engineering Graduate School of Creative Science and Engineering		特許第750278 1号	2020/11/09
patent	2363	Social	歩行者の移動予測技術 およびそれに基づく移 動ロボットの経路計画 アルゴリズム	Guest Senior Researcher Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	本発明は、人の速度ベクトルの測定誤差と将来的な速度ベクトルが現在の値を保持するかを示す保持可能性を考慮することで、軌道計画のロバスト化を目指した経路計画アルゴリズムを提案するものである。人の速度ベクトルの測定誤差と保持可能性を考慮した働きかけのタイミングの決定および人とロボットが互いに避けるために必要となる回避量の調整、さらに、安全に人を回避するための枠組みとして行動の制限を行う。	特許第752585 4号	2020/08/21
patent	2321	Social Information	ロボットになりきるた めの遠隔操縦システム	Junior Researcher (retired) Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	本シーズは、人間の高い運動安定能力を生かしたロボット操縦を可能とするため、ロボットやバーチャルキャラクターといった操縦対象の行動時の安定維持に必要な情報として視覚や足裏力覚情報などを操縦者が理解しやすいよう変換して提示し、さらに操縦者と操縦対象の身体の大きさや重さ・運動能力といった身体的ズレを補正した操縦指令を生成することにより、効果的な操縦を実現する。	特許第744438 9号	2020/06/17
patent	2356	Social	複数人移動予測に基づ く混雑環境下でのロボットの接近・接触移動 技術	Guest Senior Researcher Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	混雑環境下で自律移動するロボットの経路生成に適した周囲の人間等を含む移動予測モデルを構築し、ロボットの移動効率と周囲の人間等に与える負担を考慮しながら、最適な移動経路を生成することができるロボット、移動経路生成装置及びそのプログラム、並びに、移動予測装置を提供する。	特許第749019 3号	2020/06/17
patent	2252	Social	心臓弁尖作製用機器で 作成した弁、縫合ガイ ド、および、弁尖作製 用機器	Professor Faculty of Science and Engineering Graduate School of Advanced Science and Engineering Cooperative Major in Advanced Biomedical Sciences			2019/12/11
patent	2247	Social	自己伸展型長尺構造物	Professor Faculty of Science and Engineering Waseda Research Institute for Science and Engineering		特許第731962 9号	2019/10/16

type of seeds	number	field	title	researcher	summary	patent number	posted
patent	2246	Social	妊婦超音波検査ロボットにおける画像鮮明性 を維持可能な腹部非下 降走査デバイス	Professor Faculty of Science and Engineering School of Creative Science and Engineering		特許第727092 8号	2019/10/16
patent	2220	Social	ドライバーの状況認識 推定・安全運転システ ム	Guest Senior Researcher Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	本発明は、状況認識推定システム及び運転支援システムに係り、更に詳しくは、所定の対象者の周囲を相対移動する認識対象物について、その対象者が適切に認識しているか否かを推定する状況認識推定システム、及び当該状況認識推定システムを利用して、対象者による自動車等の移動体の運転支援を行う運転支援システムに関する。	特許第743219 8号	2019/07/30
patent	2182	Social	MR流体を用いた逆可動 性を有する小型パワフ ルアクチュエータ	Guest Senior Researcher Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	人の代替労働力・サポート手段として活躍が期待されるロボットのアクチュエータには、高出力性や高応答性、機構的高柔軟性、堅牢性、良制御性、高エネルギー効率といった諸特性を兼ね備えることが求められている。本シーズは、特に、高出力性と逆可動性という特長を有する磁気粘性流体(WR流体)を用いた流体駆動アクチュエータを提供することができる。	特許第720337 9号	2019/07/05
patent	2067	Social	心電モニタリングシス テム	Professor Faculty of Science and Engineering School of Creative Science and Engineering		特許第709656 5号	2018/06/13
patent	1991	Social	超音波プローブ移動装置	Professor Faculty of Science and Engineering School of Creative Science and Engineering		第7014383号	2018/01/15
patent	1986	Social	「ロボットから人への 意図伝達度」に着目し た移動ロボットの行動 戦略	Guest Senior Researcher Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	移動体と移動障害物との協調移動のために、「ロボットから人への意図伝達度」に着目した人状態推定手法を開発し、双方の動作結果を踏まえた連続的な働きかけ手法を提案する、ロボットのすれ違い幅から働きかけの必要性を判定する「干渉度」、人のロボットに対する認知の有無を判断する「認知度」、ロボットの働きかけがどの程度達成されたかを計算し、再度の働きかけ必要性を判断する「働きかけ達成度」で構成されている。	7036399	2018/01/15
patent	1913	Social	能動的接触力調整エン ドエフェクタ	Faculty of Science and Engineering		特許第691650 0号	2017/06/20
patent	1912	Social	停電時の安全性を持つ 可変トルクリミッタ	Guest Senior Researcher Faculty of Science and Engineering Graduate School of Creative Science and Engineering		特許第686698	2017/06/20
patent	1911	Social	可変トルクリミットア クチュエータの制御シ ステム	Guest Senior Researcher Faculty of Science and Engineering Graduate School of Creative Science and Engineering		7028410	2017/06/20
patent	1616	Social	MR流体を用いたバック ドライバブルアクチュ エータ	Guest Senior Researcher Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	高応答・高出力・安全性が求められる次世代のロボットシステムには、予期しない外力の付与に対して迅速に応答可能な柔軟性を有する新たなアクチュエータが要請されている。本シーズは、応答時間の短縮化を図るとともに、比較的簡易な構成で柔軟性を発揮させることができるバックドライバブルアクチュエータを提供することにある。	特許第649396 2号	2017/02/20
patent	1872	Social	MR流体を用いた逆可動 性を有するロータリア クチュエータ	Guest Senior Researcher Faculty of Science and Engineering Waseda Research Institute for Science and Engineering	高応答・高出力・安全性が求められる次世代のロボットシステムには、予期しない外力の付与に対しても迅速に応答可能な柔軟性を有する新たなアクチュエータが要請されている。本シーズは、応答時間の短縮化を図るとともに、比較的簡易な構成で本質的な柔軟性を発揮させることができる逆可能型のロータリアクチュエータを提供することにある。	特許第686356 2号	2016/12/06
patent	1804	Social	歯磨きロボット	Professor Faculty of Science and Engineering		第6675733号	2016/04/11
patent	1569	Social	創造的人工脳	Professor Faculty of Science and Engineering School of Fundamental Science and Engineering	従来型コンピュータは将棋チェスをするものや入試問題を解くものも含めてどれも、決められた仕事を早くこなすためのものであった。ヒトのようなアイデアを出せる人工知能を目指す第一歩として、ヒトの脳の神経細胞群の結合様式(空間パターン)を実験的に解明する研究が進められているが不明であった。そこで、化学反応論と分子生物学のデータを体系的に分析したところ、その解明ができた。	特許第636763 1号	2016/03/18

type of seeds	number	field	title	researcher	summary	patent number	posted
patent	1556	Social	半側空間無視の注意再 獲得支援システム	Professor Faculty of Science and Engineering School of Creative Science and Engineering	半側空間無視患者に対するリハビリテーションを支援するためのシステムであり、訓練用画像内の一部領域のみを視認可能にするスリット領域を移動、拡大させるように訓練者に提示することで、訓練者の訓練用画像に対する注意部分を移動させる。これにより、訓練者は、「固定」、「解放」、「移動」の各能力を増進させることが可能になる。	特許第630846 4号	2016/01/06
patent	1749	Social	血液濾過器の流れの可視化試験装置	Professor Faculty of Science and Engineering Graduate School of Advanced Science and Engineering Cooperative Major in Advanced Biomedical Sciences		第6590278号	2015/11/05
patent	1488	Social	分散設置型インタラク ティブ運動支援システ ム	Professor Faculty of Science and Engineering School of Creative Science and Engineering	バックを複数の画像などの感覚情報として与えることにより	特許第627011 5号	2015/07/10
patent	2378	Frontier Nanotechnology / Materials	画像処理方法、画像処理装置、X線回折装置 およびプログラム	Professor Faculty of Science and Engineering	本シーズは、データ分析で用いられる密度ベースクラスタリングを応用した画像処理技術に関します。本シーズによれば、平面画像を構成する各画素に対応する位置に各画素の画素値に応じた密度で点を配置し、それらの点に密度に基づくクラスタリングを実行することで、所望の画素値を有する画素が密に集まる領域を簡便に分離することが可能となります。	特願2022-730 83	2022/07/11
research	2018-0402-01	Frontier Manufacturing Technology	視知覚の数理科学とその産業応用、特に各種 画像処理技術、錯視、 商用アートへの展開.	Professor Faculty of Education and Integrated Arts and Sciences	新井研究室では、人の視覚系が行っている脳内の情報処理を 最先端の数学を使って研究し、更に画像処理、錯視(目の錯 覚)、商用アートへの応用を行っています。また人の視覚を 超えた超視覚システムの研究もしています。これまで次の ような発明をして、複数の特許を取得した。本研究の展開と 産業応用に関する提案を歓迎します。これまでの主な成果は 次のものです。 錯視の数学的方法による生成技術とバッケ 一ジ利用 人の視覚に優しい画像鮮鋭化 視認し難い対象物 を容易に視認できるようなエッジ検出 新しいFIRフィルタ 設計技術 色の対比錯視のコンピュータによる再現と逆問題 の解決		2018/04/26
research	2015-0303-08	Frontier Nanotechnology / Materials	極短電子線パルス発生装置	Researcher (retired) Affiliated organization Waseda Institute for Advanced Study	・高品質・極短電子線パルスを電子銃単体にて発生・高周波 加速による小型かつ超高圧電子線の実現		2015/03/03

Contact

WASEDA UNIVERSITY Research Innovation Center

E-mail : contact-tlo@list.waseda.jp URL : https://www.wrs.waseda.jp/seeds/en/